



# NUPLA®

AVAILABLE THROUGH  
**GRAINGER®**  
FOR THE ONES WHO GET IT DONE

A Quality Brand of  
**SAUNDERSMIDWEST**





When only the best will do, go to **NUPLA®**, the leader in manufacturing of specialty industrial grade hand tools since 1938. The pioneer and innovator of TCP (Tension - Continuous - Parallel) pultruded Nuplaglas®, NUPLA produces the strongest and safest fiberglass-handled tools available. The company produces hundreds of hand tools including soft-face and steel hammers, shovels, rakes, axes, non-conductive tools and replacement handles.

NUPLA's history is one of invention, via the development of plastics and related technologies since the 1930's. NUPLA has continued innovating for over 80 years and has earned the reputation as the industry standard for fiberglass striking, cutting, digging and fire tools. We have earned our stripe as the manufacturer of the World's Strongest Hand Tools and we put that stripe on every tool we produce:

Nupla®, Ergo-Power®, Nuplaglas®, Smart Hammer®, Power Drive®, Strike Pro®, IMPAX®, Power Pylon®, NuPro®, Nuplabond®, and Mech/Loc® are registered trademarks of Nupla Corporation.

GET THE STRIPE™ and NuPole™ are trademarks of Nupla Corporation.

---

**GET THE STRIPE®**

---

# CONTENTS



## **STRIKING TOOLS**

COPPER, SOFT FACED, NON-SPARKING, STEEL, BRASS, RUBBER, SLEDGES

**05**



## **AXES, MAULS, PICKS & MATTOCKS**

**12**



## **DIGGING TOOLS**

SHOVELS, SPADES, SCOOPS, NON-CONDUCTIVE, NUPOLE

**13**



## **MAINTENANCE TOOLS**

LANDSCAPE, CONCRETE, JANITORIAL

**19**



## **MILL & FORESTRY TOOLS**

UTILITY PIKE, BOLT CUTTER

**20**



## **FIRE TOOLS**

PIKE POLES, ROOF HOOKS, FIRE AXES, HALLIGANS, WILDLAND, NUPOLE

**21**



## **REPLACEMENT HANDLES**

**25**

**WWW.NUPLATOOLS.COM**

# THE BEST COMPONENTS

## Classic Nuplaglas® Handles

Nuplaglas Handles have been the standard of the industry for over 80 years. Thousands of strands of fiberglass encased in a proprietary resin deliver a super-duty handle, Tough enough to carry the Nupla Lifetime Warranty.

## Ergo-Power® Handles

Same super-duty Nuplaglas® construction with an injection molded protective coating. Protects and extends the life of the handle and grip becomes an integral portion of the handle.

## Nupla Striking Heads

Nupla molded striking heads are available in various hardnesses of non-marring polymers. Forged steel heads available in forged steel or brass, and are heat treated for specific levels of hardness.

## Nupla Striking Tool Grips

### SUPER GRIP



- Safest grip in the industry
- Use in all weather conditions, with or without gloves
- Classic Rubber or integrated Ergo style

**SG**

### CUSH-N-GRIP



- Long, sleek grip
- Available in rubber

**H**

### CIRCULAR STRIPE



- C and CS (short) sizes
- Comfortable standard grip and design
- Available in rubber or integrated molded design

**C**

**CS**

### SINGLE BIT GRIP



- Provides direction accuracy for single bit axes and mauls

**SB**

### CIRCULAR STRIPE



- CSL, long sizes
- Comfortable standard grip and design
- Available in rubber or integrated molded design

**CSL**

### DOUBLE BIT GRIP



- For double bladed chopping tools

**DB**

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



NEW

COPPER HAMMER

- For volatile environments where you can't have a spark from metal contact
- Malleable copper material will not fracture or shear when striking hard surfaces (will instead mushroom) – Softer than brass and ideal for delicate work
- Soft metal delivers a higher striking force than rubber mallets
- Drive Pins, position parts in machinery, move pistons, etc.



| PART NO./GRAINGER #     | DESCRIPTION                              | HANDLE LENGTH | GRIP STYLE | STD. PACK |
|-------------------------|------------------------------------------|---------------|------------|-----------|
| 75.30-315E (GR #841UD5) | Classic 1.5lb Copper Hammer w/Super Grip | 12.625"       | SG         | 1         |
| 75.30-325E (GR #841UD6) | Classic 2.5lb Copper Hammer w/Super Grip | 12.625"       | SG         | 1         |
| 75.30-340E (GR #841UD7) | Classic 4lb Copper Hammer w/Super Grip   | 16"           | SG         | 1         |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

# SOFT FACED DEAD BLOW HAMMERS

## Non-marring Smart Hammer® Technology

STRIKING

AXES


DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



### EXTREME POWER DRIVE®

- Shot-loaded composite interior cavities fully encased in a tough polymer outer jacket
- Free flowing inner shot concentrates striking power and increases driving force
- Cast urethane face to protect hammer when striking sharp metal surfaces

### STANDARD POWER DRIVE®

- Shot-loaded composite interior cavities fully encased in a tough polymer outer jacket
- Free flowing inner shot concentrates striking power and increases driving force
- Non-marring face protects surface being struck

### STRIKE PRO® POWER DRIVE®

- All the dead blow features of the Power Drive in a lighter, more economical configuration

| PART NO. | DESCRIPTION                                    | NOMINAL WEIGHT | HEAD LENGTH | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|------------------------------------------------|----------------|-------------|---------------|------------|-----------|------------------|
| 10062    | Extreme Power Drive Hammer (SDSF-2SG)          | 2 lb           | 5"          | 13.75"        | SG         | 5         | 10.75 lb         |
| 10063    | Extreme Power Drive Hammer (SDSF-3SG)          | 3 lb           | 5.5"        | 14.5"         | SG         | 2         | 6.3 lb           |
| 10025    | Standard Power Drive Hammer (SF-2SG)           | 2 lb           | 5"          | 13.75"        | SG         | 5         | 10.75 lb         |
| 10035    | Standard Power Drive Hammer (SF-3SG)           | 3 lb           | 5.5"        | 14.5"         | SG         | 2         | 6.3 lb           |
| 10045    | Standard Power Drive Hammer (SF-4SG)           | 4 lb           | 5.75"       | 15.5"         | SG         | 2         | 8.3 lb           |
| 10235    | Strike Pro Power Drive Hammer, Orange (STP016) | 1 lb           | 5"          | 12"           | C          | 5         | 6 lb             |
| 10275    | Strike Pro Power Drive Hammer, Orange (STP024) | 1.5 lb         | 5.75"       | 12.25"        | C          | 5         | 8.5 lb           |



### RUBBER MALLETS

- Non-sparking
- White head mallet will not mark or smudge surfaces even after prolonged use
- Nominal weight is in regards to the hammerhead - overall tool weight will be heavier

| PART NO. | DESCRIPTION                                     | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 13115    | Premium White Rubber Mallet, Non-Marking (WRM1) | 1 lb           | 12.625"       | H          | 5         | 5.45 lb          |
| 13110    | Classic Nuplaglas Rubber Mallet (RM1)           | 1 lb           | 12.625"       | H          | 5         | 5.75 lb          |
| 13120    | Classic Nuplaglas Rubber Mallet (RM2)           | 2 lb           | 16"           | H          | 5         | 10.75 lb         |



# SOFT FACED REPLACEABLE TIPS

Replaceable Tip Hammers provide a wide range of weight and tip hardness to deliver precision striking



MEDIUM



TOUGH



EXTRA HARD



HARD

## 'QUICK-CHANGE' TIPS

- Choose the right tip for every job
- Sizes ranging from 1" up to 4" diameter

## Replaceable Tips for Impax® Dead Blow & 'Quick-Change' Hammers

| PART NO. | DESCRIPTION | COLOR  | TIP DIAMETER | STD. PACK | STD. PACK WEIGHT | PART NO. | DESCRIPTION | COLOR  | TIP DIAMETER | STD. PACK | STD. PACK WEIGHT |
|----------|-------------|--------|--------------|-----------|------------------|----------|-------------|--------|--------------|-----------|------------------|
| 15101    | Supersoft   | Grey   | 1"           | 2         | 1.5 oz           | 15159    | Extra Hard  | Yellow | 1.5"         | 2         | 4 oz             |
| 15103    | Medium      | Red    | 1"           | 2         | 1.5 oz           | 15201    | Supersoft   | Grey   | 2"           | 2         | 6 oz             |
| 15104    | Tough       | Green  | 1"           | 2         | 1.5 oz           | 15202    | Soft        | Brown  | 2"           | 2         | 8 oz             |
| 15106    | Medium Hard | Cream  | 1"           | 2         | 1.5 oz           | 15203    | Medium      | Red    | 2"           | 2         | 8 oz             |
| 15108    | Hard        | Black  | 1"           | 2         | 1.5 oz           | 15204    | Tough       | Green  | 2"           | 2         | 8 oz             |
| 15109    | Extra Hard  | Yellow | 1"           | 2         | 1.5 oz           | 15206    | Medium Hard | Cream  | 2"           | 2         | 8 oz             |
| 15151    | Supersoft   | Grey   | 1.5"         | 2         | 4 oz             | 15208    | Hard        | Black  | 2"           | 2         | 8 oz             |
| 15152    | Soft        | Brown  | 1.5"         | 2         | 4 oz             | 15209    | Extra Hard  | Yellow | 2"           | 2         | 8 oz             |
| 15153    | Medium      | Red    | 1.5"         | 2         | 4 oz             | 15303    | Medium      | Red    | 3"           | 2         | 1.5 lb           |
| 15154    | Tough       | Green  | 1.5"         | 2         | 4 oz             | 15304    | Tough       | Green  | 3"           | 2         | 1.5 lb           |
| 15156    | Medium Hard | Cream  | 1.5"         | 2         | 4 oz             | 15308    | Hard        | Black  | 3"           | 2         | 1.5 lb           |
| 15158    | Hard        | Black  | 1.5"         | 2         | 4 oz             | 15309    | Extra Hard  | Yellow | 3"           | 2         | 1.5 lb           |

## 'QUICK-CHANGE' HAMMERS

- Choose the weight of the hammer, handle length and the right grip for the job
- Replaceable tips available in seven durometric hardnesses from Super Soft to Extra Hard (Sold Separately - Page 9)



| PART NO. | DESCRIPTION                            | NOMINAL WEIGHT | TIP DIAMETER | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------|----------------|--------------|---------------|------------|-----------|------------------|
| 09605    | Quick-Change Hammer, No Tips (SPS-105) | 9 oz           | 1"           | 11.25"        | C          | 6         | 4.2 lb           |
| 09550    | Quick-Change Hammer, No Tips (SPS-150) | 1 lb           | 1.5"         | 12.5"         | C          | 6         | 6.9 lb           |
| 09500    | Quick-Change Hammer, No Tips (SPS-200) | 1.5 lb         | 2"           | 13.75"        | C          | 6         | 9.9 lb           |
| 09505    | Quick-Change Hammer, No Tips (SPS-205) | 2.25 lb        | 2"           | 13.75"        | C          | 6         | 14.4 lb          |
| 09405    | Quick-Change Hammer, No Tips (SPS-305) | 6 lb           | 3"           | 15.5"         | C          | 2         | 10.5 lb          |



## 'QUICK-CHANGE' HAMMER & TIPS

- 1 lb hammer with 4 replaceable tips
- Retail package

| PART NO. | DESCRIPTION                                                                       | NOMINAL WEIGHT | TIP DIAMETER | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------------------------------------------------|----------------|--------------|---------------|------------|-----------|------------------|
| 02549    | Quick-Change Hammer with 4 Tips: Soft, Medium, Hard, Extra-Hard (Clam Shell Pack) | 1 lb           | 1.5"         | 12.5"         | C          | 4         | 2.5 lb           |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

# NON-SPARKING HAMMERS

## Ergo-Power® Soft Safety Steel



### BRASS HAMMERS

- Heavy non-spark striking face with soft impact
- Malleable brass material will not fracture or shear when striking hard surfaces
- Perfect for working in volatile environments, automotive services, metal working and MRO

| PART NO. | DESCRIPTION                                     | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 30015    | Classic Nuplaglas Brass Hammer (BRS1.5)         | 1.5 lb         | 12"           | SG         | 5         | 8.75 lb          |
| 30025    | Classic Nuplaglas Brass Hammer (BRS2.5)         | 2.5 lb         | 12"           | SG         | 2         | 5.5 lb           |
| 30040    | Classic Nuplaglas Brass Hammer (BRS4)           | 4 lb           | 12"           | SG         | 2         | 8.3 lb           |
| 30525    | Ergo-Power Brass Hammer (BRS2.5-ESG)            | 2.5 lb         | 12"           | SG         | 2         | 6.5 lb           |
| 30060    | Classic Nuplaglas Brass Sledge Hammer (BRS6-18) | 6 lb           | 18"           | SG         | 2         | 13 lb            |



- Soft safety steel sledges with Ergo-Power handle
- Maximum 30 Rockwell C heads will not shear when striking harder steel
- Black SG Ergo Handles
- Blue heads marked 'S' for soft and quick identification on job site

| PART NO. | DESCRIPTION                                              | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 26500    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-2-14)    | 2 lb           | 14"           | SG         | 2         | 5.5 lb           |
| 26501    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-3-14)    | 3 lb           | 14"           | SG         | 2         | 7.5 lb           |
| 26502    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-4-14)    | 4 lb           | 14"           | SG         | 2         | 9.5 lb           |
| 26503    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-6-32)    | 6 lb           | 32"           | SG         | 2         | 16 lb            |
| 26504    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-8-32)    | 8 lb           | 32"           | SG         | 2         | 20 lb            |
| 26505    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-10-32)   | 10 lb          | 32"           | SG         | 2         | 24 lb            |
| 26506    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-12-32)   | 12 lb          | 32"           | SG         | 2         | 28 lb            |
| 26507    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-16-32)   | 16 lb          | 32"           | SG         | 2         | 36 lb            |
| 26508    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-20-32)   | 20 lb          | 32"           | SG         | 2         | 44.5 lb          |
| 26510    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-6-ESG-S) | 6 lb           | 16"           | SG         | 2         | 15.5 lb          |
| 26511    | Ergo-Power Soft Safety Steel Sledge Hammer (BDS-8-ESG-S) | 8 lb           | 16"           | SG         | 2         | 19 lb            |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



# STEEL HAMMERS



**CLASSIC  
BALL PEIN**



**ERGO  
BALL PEIN**



**CLASSIC  
CLAW**



**CLASSIC  
RIPPING**



**BALL PEIN SET**

## CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- All Classic Nuplaglas Handled tools carry a Nupla Lifetime Warranty
- Carbon steel heads are precision forged and heat treated

## ERGO-POWER® HANDLES

- Protective covering injection molded over a Classic Nuplaglas handle
- Protects fiberglass from overstrikes and extends the life of the handle
- Precision forged and heat treated high carbon steel heads

| PART NO. | DESCRIPTION                                                                   | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 21004    | Classic Nuplaglas Ball Pein Hammer (M-4)                                      | 4 oz           | 11"           | H          | 6         | 3 lb             |
| 21008    | Classic Nuplaglas Ball Pein Hammer (M-8)                                      | 8 oz           | 11"           | H          | 6         | 4.5 lb           |
| 21012    | Classic Nuplaglas Ball Pein Hammer (M-12)                                     | 12 oz          | 12"           | H          | 6         | 6 lb             |
| 21016    | Classic Nuplaglas Ball Pein Hammer (M-16)                                     | 16 oz          | 13"           | H          | 6         | 7.5 lb           |
| 21020    | Classic Nuplaglas Ball Pein Hammer (M-20)                                     | 20 oz          | 13"           | H          | 6         | 9 lb             |
| 21024    | Classic Nuplaglas Ball Pein Hammer (M-24)                                     | 24 oz          | 14"           | H          | 6         | 10.5 lb          |
| 21032    | Classic Nuplaglas Ball Pein Hammer (M-32)                                     | 32 oz          | 14"           | H          | 6         | 13.5 lb          |
| 21040    | Classic Nuplaglas Ball Pein Hammer (M-40)                                     | 40 oz          | 16"           | H          | 4         | 11 lb            |
| 21048    | Classic Nuplaglas Ball Pein Hammer (M-48)                                     | 48 oz          | 16"           | CS         | 4         | 13 lb            |
| 05064    | Classic Nuplaglas Ball Pein Set with 8, 12, 16, 24 oz Hammers & Carrying Case |                |               |            | 1         | 10.58 lb         |
| 21516    | Ergo-Power Ball Pein Hammer (M16-ESG)                                         | 16 oz          | 14"           | SG         | 6         | 9.5 lb           |
| 21532    | Ergo-Power Ball Pein Hammer (M32-ESG)                                         | 32 oz          | 14"           | SG         | 6         | 15 lb            |
| 17016    | Classic Nuplaglas Claw Hammer (C-16)                                          | 16 oz          | 13"           | H          | 6         | 7.5 lb           |
| 17020    | Classic Nuplaglas Claw Hammer (C-20)                                          | 20 oz          | 14"           | H          | 6         | 9 lb             |
| 19020    | Classic Nuplaglas Ripping Hammer (R-20)                                       | 20 oz          | 14"           | H          | 6         | 9 lb             |
| 19022    | Classic Nuplaglas Ripping Hammer (R-22)                                       | 22 oz          | 16"           | H          | 6         | 9.6 lb           |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

# STEEL HAMMERS

## Industrial Specialty Hammers: Hand Drilling - Cross Pein - Bricklayers

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



CLASSIC

CROSS PEIN



CLASSIC

HAND DRILLING



ERGO

### CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

| PART NO. | DESCRIPTION                                     | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 28025    | Classic Nuplaglas Hand Drilling Hammer (HD-2SG) | 2 lb           | 10"           | SG         | 2         | 4.5 lb           |
| 28035    | Classic Nuplaglas Hand Drilling Hammer (HD-3SG) | 3 lb           | 10"           | SG         | 2         | 6.5 lb           |
| 28045    | Classic Nuplaglas Hand Drilling Hammer (HD-4SG) | 4 lb           | 10"           | SG         | 2         | 8.5 lb           |
| 28535    | Ergo-Power Hand Drilling Hammer (HD3-ESG)       | 3 lb           | 10"           | SG         | 2         | 7.5 lb           |
| 28545    | Ergo-Power Hand Drilling Hammer (HD4-ESG)       | 4 lb           | 10"           | SG         | 2         | 9.5 lb           |
| 29035    | Classic Nuplaglas Cross Pein Hammer (BC-3SG)    | 3 lb           | 14"           | SG         | 2         | 6.5 lb           |
| 29045    | Classic Nuplaglas Cross Pein Hammer (BC-4SG)    | 4 lb           | 14"           | SG         | 2         | 8.5 lb           |

# SLEDGE HAMMERS

Widest Selection of Head Weight to Handle Length Combinations of any Tool Manufacturer

## ERGO-POWER® HANDLES

- Protective covering injection molded over a Classic Nuplaglas handle
- Protects fiberglass from overstrikes and extends the life of the handle
- Industrial grade heads



## CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- All Classic Nuplaglas Handled tools carry a Nupla Lifetime Warranty
- Industrial grade heads

| PART NO. | DESCRIPTION                            | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------|----------------|---------------|------------|-----------|------------------|
| 27520    | Ergo-Power Sledge Hammer (BD2-ESG)     | 2 lb           | 14"           | SG         | 2         | 5.5 lb           |
| 27530    | Ergo-Power Sledge Hammer (BD3-ESG)     | 3 lb           | 14"           | SG         | 2         | 7.5 lb           |
| 27540    | Ergo-Power Sledge Hammer (BD4-ESG)     | 4 lb           | 14"           | SG         | 2         | 9.5 lb           |
| 27806    | Ergo-Power Sledge Hammer (BD-6ESG)     | 6 lb           | 32"           | SG         | 2         | 16.5 lb          |
| 27808    | Ergo-Power Sledge Hammer (BD-8ESG)     | 8 lb           | 32"           | SG         | 2         | 20 lb            |
| 27810    | Ergo-Power Sledge Hammer (BD-10ESG)    | 10 lb          | 32"           | SG         | 2         | 24.5 lb          |
| 27812    | Ergo-Power Sledge Hammer (BD-12ESG)    | 12 lb          | 32"           | SG         | 2         | 28.4 lb          |
| 27816    | Ergo-Power Sledge Hammer (BD-16ESG)    | 16 lb          | 32"           | SG         | 2         | 36.5 lb          |
| 27822    | Ergo-Power Sledge Hammer (BD-20LECS)   | 20 lb          | 36"           | SG         | 2         | 44.5 lb          |
| 27805    | Ergo-Power Slugging Hammer (BD6-E16SG) | 6 lb           | 16"           | SG         | 2         | 13.75 lb         |
| 27804    | Ergo-Power Slugging Hammer (BD8-E16SG) | 8 lb           | 16"           | SG         | 2         | 17.25 lb         |

| PART NO. | DESCRIPTION                                  | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 27020    | Classic Nuplaglas Sledge Hammer (BD-2)       | 2 lb           | 14"           | CS         | 2         | 4.5 lb           |
| 27030    | Classic Nuplaglas Sledge Hammer (BD-3)       | 3 lb           | 14"           | CS         | 2         | 6.5 lb           |
| 27035    | Classic Nuplaglas Sledge Hammer (BD-3SG)     | 3 lb           | 14"           | SG         | 2         | 6.5 lb           |
| 27045    | Classic Nuplaglas Sledge Hammer (BD-4SG)     | 4 lb           | 14"           | SG         | 2         | 8.5 lb           |
| 27040    | Classic Nuplaglas Sledge Hammer (BD-4)       | 4 lb           | 14"           | CS         | 2         | 8.5 lb           |
| 27043    | Classic Nuplaglas Sledge Hammer (BD-4-15)    | 4 lb           | 15"           | CS         | 2         | 8.5 lb           |
| 27047    | Classic Nuplaglas Sledge Hammer (BD-6-16SG)  | 6 lb           | 16"           | SG         | 2         | 13.15 lb         |
| 27060    | Classic Nuplaglas Sledge Hammer (BD-6-32)    | 6 lb           | 32"           | CS         | 2         | 13.5 lb          |
| 27073    | Classic Nuplaglas Sledge Hammer (BD-8-14SG)  | 8 lb           | 14"           | SG         | 2         | 17.15 lb         |
| 27080    | Classic Nuplaglas Sledge Hammer (BD-8-32)    | 8 lb           | 32"           | CS         | 2         | 17.5 lb          |
| 27089    | Classic Nuplaglas Sledge Hammer (BD-8-36)    | 8 lb           | 36"           | CS         | 2         | 17.6 lb          |
| 27101    | Classic Nuplaglas Sledge Hammer (BD-10-32SG) | 10 lb          | 32"           | SG         | 2         | 21.5 lb          |
| 27121    | Classic Nuplaglas Sledge Hammer (BD-12-32SG) | 12 lb          | 32"           | SG         | 2         | 25.4 lb          |
| 27160    | Classic Nuplaglas Sledge Hammer (BD-16-32)   | 16 lb          | 32"           | CS         | 2         | 33.5 lb          |
| 27201    | Classic Nuplaglas Sledge Hammer (BD-20-36SG) | 20 lb          | 36"           | SG         | 2         | 41.5 lb          |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



# AXES, PICKS & MATTOCKS

STRIKING

AXES

ERGO-POWER®  
HANDLES

SINGLE BIT  
AXE

DOUBLE BIT  
AXE

DIGGING

MAINTENANCE

PICK  
MATTOCK

CUTTER  
MATTOCK

DOUBLE EDGE  
BUSH HOOK

FORESTRY

FIRE

HANDLES

| PART NO.                                     | DESCRIPTION                                    | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------------------------------------------|------------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 22401                                        | Ergo-Power Michigan Double Bit Axe (DB3.5LESG) | 3.5 lb         | 36"           | SG         | 2         | 8.75 lb          |
| 22410                                        | Ergo-Power Michigan Single Bit Axe (NSB3.5ESG) | 3.5 lb         | 32"           | SG         | 2         | 8.5 lb           |
| See Fire Tools for additional Axes (Page 41) |                                                |                |               |            |           |                  |
| 24340                                        | Splitting Wedge (SHW-4)                        | 4 lb           | -             | -          | 5         | 20.75 lb         |
| 24551                                        | Ergo-Power Cutter Mattock (CM-5H-ESG)          | 5 lb           | 36"           | SG         | 1         | 7.7 lb           |
| 24552                                        | Ergo-Power Pick Mattock (PM-5H-ESG)            | 5 lb           | 36"           | SG         | 1         | 7.7 lb           |
| 24553                                        | Ergo-Power Railroad Pick (RP-5H-ESG)           | 5 lb           | 36"           | SG         | 1         | 7.7 lb           |
| 24554                                        | Ergo-Power Railroad Pick (RP-6H-ESG)           | 6 lb           | 36"           | SG         | 1         | 9 lb             |
| 72940                                        | Ergo-Power Bush Hook, Double Edge (BHD-10E)    | 3 lb           | 36"           | SG         | 2         | 11.3 lb          |

# ROUND & SQUARE POINT SHOVELS

Stronger than wood - Built to last

## SOLID HYDRAULIC DESIGN

- All Nuplaglas handles feature a polystyrene core construction with sections of solid fiberglass at critical stress points for superior strength-to-weight ratio



## ERGO-POWER® HANDLES

- Mold injected protective covering over a Classic Nuplaglas handle
- Made in USA, Lifetime Warranty
- Industrial grade steel blades



## CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- Made in USA, Lifetime Warranty

## INDUSTRIAL GRADE STEEL BLADES

- Available in 16 & 14 Gauge

| PART NO. | DESCRIPTION                                | GAUGE | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|--------------------------------------------|-------|-----------------|-------------|---------------|------------|-----------|------------------|
| 72016    | Ergo-Power #2 Round Point Shovel (RP2L-E)  | 16    | 9" x 11.5"      | Hollow Back | 48"           | Ergo       | 6         | 27.51 lb         |
| 72017    | Ergo-Power #2 Round Point Shovel (RP2D-E)  | 16    | 9" x 11.5"      | Hollow Back | 27"           | D          | 3         | 10.91 lb         |
| 72061    | Ergo-Power #2 Round Point Shovel (RP14L-E) | 14    | 9" x 11.5"      | Heavy Gauge | 48"           | Ergo       | 6         | 33 lb            |
| 72062    | Ergo-Power #2 Round Point Shovel (RP14D-E) | 14    | 9" x 11.5"      | Heavy Gauge | 27"           | D          | 3         | 14 lb            |

| PART NO. | DESCRIPTION                                     | GAUGE | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------------|-------|-----------------|-------------|---------------|------------|-----------|------------------|
| 72071    | Ergo-Power #2 Square Point Shovel (SP2L-E)      | 16    | 9.875" x 11.5"  | Hollow Back | 48"           | Ergo       | 6         | 33 lb            |
| 72072    | Ergo-Power #2 Square Point Shovel (SP2D-E)      | 16    | 9.875" x 11.5"  | Hollow Back | 27"           | D          | 3         | 14 lb            |
| 72075    | Ergo-Power #2 Square Point Shovel (SP14L-E)     | 14    | 9.875" x 11.5"  | Heavy Gauge | 48"           | Ergo       | 6         | 35 lb            |
| 72076    | Ergo-Power #2 Square Point Shovel (SP14D-E)     | 14    | 9.875" x 11.5"  | Heavy Gauge | 27"           | D          | 3         | 15 lb            |
| 69148    | Classic Nuplaglas #2 Square Point Shovel (SP2L) | 16    | 9.875" x 11.5"  | Hollow Back | 48"           | B          | 6         | 33 lb            |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

# DRAIN & GARDEN SPADES

Stronger than wood - Built to last

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES




| PART NO.       | DESCRIPTION                              | GAUGE | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------------|------------------------------------------|-------|-----------------|-------------|---------------|------------|-----------|------------------|
| 72091          | Ergo-Power Drain Spade (SS14L-E)         | 14    | 4.75" x 14"     | Hollow Back | 48"           | Ergo       | 6         | 34 lb            |
| 72092          | Ergo-Power Drain Spade (SS14D-E)         | 14    | 4.75" x 14"     | Hollow Back | 27"           | D          | 3         | 14.5 lb          |
| 72095 (359ZC4) | Ergo-Power Drain Spade (SS16L-E)         | 16    | 4.75" x 16"     | Hollow Back | 48"           | Ergo       | 6         | 36 lb            |
| 72096          | Ergo-Power Drain Spade (SS16D-E)         | 16    | 4.75" x 16"     | Hollow Back | 27"           | D          | 3         | 15.5 lb          |
| 69277          | Classic Nuplaglas Drain Spade (SS16L)    | 16    | 4.75" x 16"     | Hollow Back | 48"           | B          | 6         | 36 lb            |
| 69278          | Classic Nuplaglas Drain Spade (SS16L-60) | 16    | 4.75" x 16"     | Hollow Back | 60"           | B          | 6         | 38 lb            |
| 69323          | Classic Nuplaglas Sewer Spade (TS5D)     | 14    | 5" x 12"        | Hollow Back | 20"           | D          | 3         | 10 lb            |
| 72107          | Ergo-Power Garden Spade (GS2L-E)         | 14    | 7.5" x 11.5"    | Hollow Back | 48"           | Ergo       | 6         | 33 lb            |
| 72108          | Ergo-Power Garden Spade (GS2D-E)         | 14    | 7.5" x 11.5"    | Hollow Back | 27"           | D          | 3         | 14 lb            |



# TRENCHING SHOVELS

Stronger than wood - Built to last

**ERGO-POWER® HANDLES**  
**BLADES AVAILABLE IN 3"-4"-**  
**5"-6" WIDTHS**



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

| PART NO. | DESCRIPTION                                         | GAUGE | BLADE<br>DIMENSION | BLADE STYLE | HANDLE<br>LENGTH | GRIP<br>STYLE | STD.<br>PACK | STD. PACK<br>WEIGHT |
|----------|-----------------------------------------------------|-------|--------------------|-------------|------------------|---------------|--------------|---------------------|
| 72310    | Ergo-Power Trenching Shovel - Blue Blade (TS-V3-E)  | 14    | 3" x 12"           | V-Type      | 48"              | Ergo          | 6            | 21 lb               |
| 72311    | Ergo-Power Trenching Shovel - Orange Blade(TS-V4-E) | 14    | 4" x 12"           | V-Type      | 48"              | Ergo          | 6            | 23 lb               |
| 72312    | Ergo-Power Trenching Shovel - Red Blade (TS-V5-E)   | 14    | 5" x 12"           | V-Type      | 48"              | Ergo          | 6            | 25 lb               |
| 72211    | Ergo-Power Trenching Shovel (TS-4-E)                | 16    | 4" x 12"           | Curved      | 48"              | Ergo          | 6            | 23 lb               |
| 72212    | Ergo-Power Trenching Shovel (TS-5-E)                | 16    | 5" x 12"           | Curved      | 48"              | Ergo          | 6            | 25 lb               |
| 72213    | Ergo-Power Trenching Shovel (TS-6-E)                | 16    | 6" x 12"           | Curved      | 48"              | Ergo          | 6            | 27 lb               |

HANDLES

# SCOOPS

STRIKING

AXES

DIGGING

## Western & Eastern Blades



## CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

| PART NO. | DESCRIPTION                            | GAUGE | BLADE DIMEN-<br>SION | BLADE STYLE | HANDLE<br>LENGTH | GRIP STYLE | STD.<br>PACK | STD. PACK<br>WEIGHT |
|----------|----------------------------------------|-------|----------------------|-------------|------------------|------------|--------------|---------------------|
| 72181    | Ergo-Power #10 Western Scoop (WS10D-E) | 16    | 14.5" X 18"          | Hollow Back | 27"              | D          | 3            | 24 lb               |

MAINTENANCE

FORESTRY

FIRE



## CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

| PART NO. | DESCRIPTION                              | GAUGE | BLADE DIMEN-<br>SION | BLADE STYLE  | HANDLE<br>LENGTH | GRIP STYLE | STD.<br>PACK | STD. PACK<br>WEIGHT |
|----------|------------------------------------------|-------|----------------------|--------------|------------------|------------|--------------|---------------------|
| 72154    | Ergo-Power #10 Aluminum Scoop (AGS10L-E) | -     | 14.5" x 17.75"       | #10 Aluminum | 48"              | Ergo       | 6            | 25 lb               |
| 72155    | Ergo-Power #10 Aluminum Scoop (AGS10D-E) | -     | 14.5" x 17.75"       | #10 Aluminum | 27"              | D          | 3            | 9.5 lb              |
| 72158    | Ergo-Power #14 Aluminum Scoop (ASG14L-E) | -     | 15.25" x 19.75"      | #14 Aluminum | 48"              | Ergo       | 6            | 27 lb               |

HANDLES

# NON-CONDUCTIVE

## Certified Non-Conductive Digging Tools

- Certified Non-Conductive properties combined with Nuplaglas and Power Pylon technologies provide the safest and strongest tools available
- All Non-Conductive tools undergo 100% testing at 10,000 volts to meet or exceed IEC 60900 and ASTM F1505 standards
- Power Pylon shovel blades – no shank means less breakage in the severest of conditions
- Outperforms similar solid shank blades, carrying 17% more payload



ROUND POINT

SQUARE POINT

DRAIN SPADE

DIGGING BAR

PRY BAR

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

| PART NO. | DESCRIPTION                                        | GAUGE | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------------------|-------|-----------------|-------------|---------------|------------|-----------|------------------|
| 76245    | Classic Nuplaglas Round Point Shovel(NC-RP14LPY)   | HD14  | 9" x 11.5"      | Solid Back  | 48"           | B          | 3         | 14 lb            |
| 76145    | Classic Nuplaglas Square Point Shovel (NC-SP14LPY) | HD14  | 9.5" x 11.5"    | Solid Back  | 48"           | B          | 3         | 16.5 lb          |
| 76232    | Classic Nuplaglas Drain Spade (NC-SS14LPY)         | HD14  | 4.75" x 14"     | Solid Back  | 48"           | B          | 3         | 17 lb            |

| PART NO. | DESCRIPTION                             | TIP STYLE | OVERALL LENGTH | WEIGHT | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------|-----------|----------------|--------|------------|-----------|------------------|
| 76292    | Classic Nuplaglas Digging Bar (NC-DBP6) | Point     | 72"            | 6 lb   | EC         | 1         | 6.25 lb          |
| 76301    | Classic Nuplaglas Digging Bar (NC-DBW6) | Wedge     | 72"            | 7.5 lb | EC         | 1         | 7.75 lb          |

# NON-CONDUCTIVE

## Certified Non-Conductive Tools

- Manufactured in safety orange for easy identification and electrical insulation
- Each tool carries a unique serial number permanently registered at Nupla Corporation for traceability
- Nuplaglas composite handles resist heat and cold, and provide insulation from electric shock
- Perfect for utility, railroad, highway and electrical jobs



| PART NO. | DESCRIPTION                                         | GAUGE | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE  | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------------------|-------|-----------------|-------------|---------------|-------------|-----------|------------------|
| 76703    | Classic Nuplaglas Heavy Duty Bolt Cutter (NC-UCC30) | HD    | 3" x 7"         | Center-Cut  | 30"           | Bolt Cutter | 1         | 12 lb            |
| 76548    | Classic Nuplaglas Post Hole Digger (NC-PHD-4)       | HD14  | 6.5" diameter   | Solid Back  | 48"           | B           | 1         | 11.5 lb          |

| PART NO. | DESCRIPTION                             | TIP STYLE | WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------|-----------|--------|---------------|------------|-----------|------------------|
| 76401    | Classic Nuplaglas Soil Probe (NC-PRB4T) | Metal     | 2 lb   | 48"           | Cap        | 6         | 12 lb            |
| 76403    | Classic Nuplaglas Soil Probe (NC-PBR5T) | Metal     | 2 lb   | 60"           | Cap        | 6         | 12.5 lb          |

| PART NO. | DESCRIPTION                                | NOMINAL WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|--------------------------------------------|----------------|---------------|------------|-----------|------------------|
| 76151    | Classic Nuplaglas Pick Mattock (NC-PM-5H)  | 5 lb           | 36"           | Double Bit | 1         | 9 lb             |
| 76251    | Classic Nuplaglas Railroad Pick (NC-RP-5H) | 5 lb           | 36"           | Double Bit | 1         | 9 lb             |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



MUD SHOVELS



SOIL PROBE



CONCRETE PLACER

| PART NO. | DESCRIPTION                        | GAUGE | BLADE DIMEN-<br>SION | BLADE STYLE | HANDLE<br>LENGTH | GRIP STYLE | STD.<br>PACK | STD. PACK<br>WEIGHT |
|----------|------------------------------------|-------|----------------------|-------------|------------------|------------|--------------|---------------------|
| 72020    | Ergo-Power Round Point Mud Shovel  | HD    | 8.25" x 11.5"        | Hollow Back | 48"              | Ergo       | 6            | 31 lb               |
| 72023    | Ergo-Power Square Point Mud Shovel | HD    | 8.25" x 11.5"        | Hollow Back | 27"              | D          | 3            | 15 lb               |

| PART NO. | DESCRIPTION                                      | BLADE MATE-<br>RIAL | BLADE DIMEN-<br>SION | BLADE STYLE | HANDLE<br>LENGTH | GRIP STYLE | STD.<br>PACK | STD. PACK<br>WEIGHT |
|----------|--------------------------------------------------|---------------------|----------------------|-------------|------------------|------------|--------------|---------------------|
| 69401    | Classic Nuplaglas T-Handle 4' Soil Probe (PRB4T) | -                   | 1/2" Shaft           | Metal Tip   | 48"              | EC         | 6            | 12 lb               |
| 69403    | Classic Nuplaglas T-Handle 5' Soil Probe (PRB5T) | -                   | 1/2" Shaft           | Metal Tip   | 60"              | EC         | 6            | 12 lb               |

| PART NO. | DESCRIPTION                               | GAUGE | BLADE DIMEN-<br>SION | BLADE STYLE | HANDLE<br>LENGTH | GRIP STYLE | STD. PACK | STD. PACK<br>WEIGHT |
|----------|-------------------------------------------|-------|----------------------|-------------|------------------|------------|-----------|---------------------|
| 69314    | Classic Nuplaglas Concrete Placer (CC20H) | HD    | 20" wide             | With Hook   | 54"              | EC         | 6         | 30.5 lb             |

# BOLT CUTTERS & DIGGING BARS

STRIKING

## BOLT CUTTERS

- Hardened alloy, compound action steel jaws
- Heat-treated cutting edges
- Heavy-duty side plates keep jaws aligned for quick, clean cuts
- Cuts steel rod, wire mesh, guy strand and many other materials



AXES

DIGGING

MAINTENANCE


| PART NO. | DESCRIPTION                                             | GAUGE | CUTTING CAPACITY |               | BLADE DIMENSION | BLADE STYLE | HANDLE LENGTH | GRIP STYLE  | STD. PACK | STD. PACK WEIGHT |
|----------|---------------------------------------------------------|-------|------------------|---------------|-----------------|-------------|---------------|-------------|-----------|------------------|
|          |                                                         |       | UP TO 31 RC*     | UP TO 42 RC*  |                 |             |               |             |           |                  |
| 69701    | Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC18)  | HD    | 0.375" (10mm)    | 0.25" (6mm)   | 3" x 7"         | Center-Cut  | 18"           | Bolt Cutter | 1         | 3.75 lb          |
| 69702    | Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC24)  | HD    | 0.375" (10mm)    | 0.25" (6mm)   | 3" x 7"         | Center-Cut  | 24"           | Bolt Cutter | 1         | 6 lb             |
| 69703    | Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC30)  | HD    | 0.5" (12mm)      | 0.375" (10mm) | 3" x 7"         | Center-Cut  | 30"           | Bolt Cutter | 1         | 8.05 lb          |
| 69704    | Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC36)  | HD    | 0.563" (14mm)    | 0.437" (11mm) | 3" x 7"         | Center-Cut  | 36"           | Bolt Cutter | 1         | 12.3 lb          |
| 69706    | Replacement Jaws for 18" Heavy Duty Bolt Cutter (UCC18) | HD    | 0.375" (10mm)    | 0.25" (6mm)   | 3" x 7"         | Center-Cut  | -             | -           | 1         | 0.2 lb           |
| 69707    | Replacement Jaws for 24" Heavy Duty Bolt Cutter (UCC24) | HD    | 0.375" (10mm)    | 0.25" (6mm)   | 3" x 7"         | Center-Cut  | -             | -           | 1         | 0.2 lb           |
| 69708    | Replacement Jaws for 30" Heavy Duty Bolt Cutter (UCC30) | HD    | 0.5" (12mm)      | 0.375" (10mm) | 3" x 7"         | Center-Cut  | -             | -           | 1         | 0.35 lb          |
| 69709    | Replacement Jaws for 36" Heavy Duty Bolt Cutter (UCC36) | HD    | 0.563" (14mm)    | 0.437" (11mm) | 3" x 7"         | Center-Cut  | -             | -           | 1         | 0.35 lb          |

FORESTRY

FIRE

## UTILITY PIKE POLES

- Slightly heavier than aluminum, resistant to moisture, chemicals and rot
- Will not break or kink like wood and aluminum poles
- Chemically bonded hardened steel head, exceeds 3000 lbs pull strength
- Non-slip grip design for non-visual hook end orientation
- Lifetime Warranty on all Nuplaglas Classic Handles



PIKE HEAD

HANDLES

| PART NO. | DESCRIPTION                         | LENGTH | HEAD MATERIAL  | TOOL WEIGHT | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------|--------|----------------|-------------|------------|-----------|------------------|
| 36499    | Classic Nuplaglas Utility Pike Pole | 6'     | Hardened Steel | 4.27 lb     | Non-slip   | 1         | 5.1 lb           |
| 36500    | Classic Nuplaglas Utility Pike Pole | 8'     | Hardened Steel | 7.28 lb     | Non-slip   | 1         | 8.3 lb           |
| 36501    | Classic Nuplaglas Utility Pike Pole | 10'    | Hardened Steel | 10.29 lb    | Non-slip   | 1         | 11.4 lb          |
| 36502    | Classic Nuplaglas Utility Pike Pole | 12'    | Hardened Steel | 13.3 lb     | Non-slip   | 1         | 14.4 lb          |

# PIKE POLES

## Heavy-Duty Classic Nuplaglas®



STRIKING

AXES

DIGGING

| PART NO. | DESCRIPTION                                                              | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|--------------------------------------------------------------------------|--------|------------|-----------|------------------|
| 36103    | Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-3)                      | 3'     | D          | 1         | 5.3 lb           |
| 36122    | Classic Nuplaglas Pike Pole, Round w/ grip, head on same plane (YPDH-S3) | 3'     | D          | 1         | 5.3 lb           |
| 36204    | Classic Nuplaglas Pike Pole, Round (YPD-4)                               | 4'     | -          | 1         | 5.7 lb           |
| 36104    | Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4)                      | 4'     | D          | 1         | 7.2 lb           |
| 36206    | Classic Nuplaglas Pike Pole, Round (YPD-6)                               | 6'     | -          | 1         | 6.5 lb           |
| 36106    | Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6)                      | 6'     | D          | 1         | 8 lb             |
| 36208    | Classic Nuplaglas Pike Pole, Round (YPD-8)                               | 8'     | -          | 1         | 7.3 lb           |
| 36210    | Classic Nuplaglas Pike Pole, Round (YPD-10)                              | 10'    | -          | 1         | 8.1 lb           |
| 36212    | Classic Nuplaglas Pike Pole, Round (YPD-12)                              | 12'    | -          | 1         | 8.9 lb           |
| 36216    | Classic Nuplaglas Pike Pole, Round (YPD-16)                              | 16'    | -          | 1         | 10.5 lb          |
| 36220    | Classic Nuplaglas Pike Pole, Round (YPD-20)                              | 20'    | -          | 1         | 12.1 lb          |

## Super-Duty I-Beam



MAINTENANCE

FORESTRY

| PART NO. | DESCRIPTION                                   | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------------|--------|------------|-----------|------------------|
| 35031    | Super-Duty I-Beam Pike Pole w/ grip (SPDH-3)  | 3'     | D          | 1         | 3.5 lb           |
| 35040    | Super-Duty I-Beam Pike Pole (SPD-4)           | 4'     | -          | 1         | 5.8 lb           |
| 35042    | Super-Duty I-Beam Pike Pole w/ grip (SPDH-4)  | 4'     | D          | 1         | 7.3 lb           |
| 35041    | Super-Duty I-Beam Pike Pole w/ grip (SPDH-4A) | 4'     | Aluminum D | 1         | 8.8 lb           |
| 35060    | Super-Duty I-Beam Pike Pole (SPD-6)           | 6'     | -          | 1         | 7.5 lb           |
| 35080    | Super-Duty I-Beam Pike Pole (SPD-8)           | 8'     | -          | 1         | 9.2 lb           |
| 35100    | Super-Duty I-Beam Pike Pole (SPD-10)          | 10'    | -          | 1         | 10.9 lb          |
| 35120    | Super-Duty I-Beam Pike Pole (SPD-12)          | 12'    | -          | 1         | 12.6 lb          |

## PIKE POLE COMPONENTS



FIRE


### Pike Pole Components

| PART NO. | DESCRIPTION                          | STD. PACK | STD. PACK WEIGHT | PART NO. | DESCRIPTION                  | STD. PACK | STD. PACK WEIGHT |
|----------|--------------------------------------|-----------|------------------|----------|------------------------------|-----------|------------------|
| 35002    | Standard D-Grip (TESD)               | 2         | 0.5 lb           | 36550    | LAFD Rubbish Hook Head (RH6) | 2         | 4 lb             |
| 35004    | Grip Adaptor (DGA125)                | 2         | 0.9 lb           |          |                              |           |                  |
| 35006    | Pikehead Adaptor (PHA125)            | 2         | 0.9 lb           |          |                              |           |                  |
| 35011    | Heavy Duty Pikehead Adaptor (PHA150) | 2         | 0.9 lb           |          |                              |           |                  |
| 35013    | D-Grip, Aluminum (ALD)               | 2         | 0.75 lb          |          |                              |           |                  |

HANDLES

# ROOF VENTILATION HOOKS

STRIKING



**ROOF VENTILATION/  
TRASH HOOK**

AXES


| PART NO. | DESCRIPTION                                                      | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|------------------------------------------------------------------|--------|------------|-----------|------------------|
| 36561    | Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-6DA)  | 6'     | Aluminum D | 1         | 9.5 lb           |
| 36564    | Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-8DA)  | 8'     | Aluminum D | 1         | 10.3 lb          |
| 36568    | Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-10DA) | 10'    | Aluminum D | 1         | 11.1 lb          |

DIGGING

MAINTENANCE

FORESTRY

## NuPole™ Fire System



**D-GRIP**

**STANDARD  
GRIP**

**EXTENSION**

**PIKE HEAD**

**VENTILATION  
HOOK HEAD**

FIRE

HANDLES

| PART NO. | DESCRIPTION                                                | LENGTH | HEAD TYPE OR GRIP STYLE                  | STD. PACK | STD. PACK WEIGHT |
|----------|------------------------------------------------------------|--------|------------------------------------------|-----------|------------------|
| 36625    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-YPD) | 3'     | Pike Head                                | 1         | 4 lb             |
| 36626    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-RH)  | 3'     | Ventilation Hook Head                    | 1         | 5.75 lb          |
| 36635    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-FHR) | 3'     | U.S. Forest Service McLeod Hoe/Rake Head | 1         | 5 lb             |
| 36620    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-BG)  | 3'     | Butt Grip End                            | 1         | 3 lb             |
| 36621    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-SDG) | 3'     | Steel D Grip End                         | 1         | 3.75 lb          |
| 36603    | NuPole Fire System - Classic Nuplaglas Pole, Round (E-3)   | 3'     | Extension                                | 1         | 2.75 lb          |



# FIRE AXES

Ergo-Power®, Classic Nuplaglas® & Hickory



**ERGO SLIM LINE & SUPER GRIPS**


**CLASSIC SINGLE BIT GRIP**

**WOOD HANDLES**

| PART NO. | DESCRIPTION                               | HEAD WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------|-------------|---------------|------------|-----------|------------------|
| 33661    | Ergo-Power Flat Head Axe (FP-6LESG)       | 6 lb        | 36"           | SG         | 2         | 17 lb            |
| 31661    | Ergo-Power Pick Head Axe (AP-L6ESG)       | 6 lb        | 36"           | SG         | 2         | 17 lb            |
| 31060    | Classic Nuplaglas Pick Head Axe (AP-6-36) | 6 lb        | 36"           | SB         | 2         | 17 lb            |
| 33060    | Classic Nuplaglas Flat Head Axe (FP-6)    | 6 lb        | 36"           | SB         | 2         | 17 lb            |
| 06205    | Hickory Pick Head Axe (APW-6-28)          | 6 lb        | 28"           | -          | 2         | 13.5 lb          |
| 06207    | Hickory Pick Head Axe (APW-6-36)          | 6 lb        | 36"           | -          | 2         | 14 lb            |
| 06210    | Hickory Flat Head Axe (FPW-6-28)          | 6 lb        | 28"           | -          | 2         | 13.5 lb          |
| 06211    | Hickory Flat Head Axe (FPW-6-32)          | 6 lb        | 32"           | -          | 2         | 13.8 lb          |

## HALLIGAN TOOLS

- Handle is up to 35% lighter than comparable tools
- Nickel-plated steel ends to prevent rust
- Tough, ribbed polypropylene jacket for a non-slip grip
- Available in 3 lengths



**FIRE SAFETY YELLOW**



## MARRYING STRAP



**POLICE/SWAT BLACK**



| PART NO. | DESCRIPTION                                                                      | NOMINAL WEIGHT | LENGTH | STD. PACK | STD. PACK WEIGHT |
|----------|----------------------------------------------------------------------------------|----------------|--------|-----------|------------------|
| 33803    | Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)                  | 8.4 lb         | 24"    | 1         | 9.8 lb           |
| 33800    | Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)                  | 8.8 lb         | 30"    | 1         | 10.6 lb          |
| 33801    | Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)                  | 9.4 lb         | 36"    | 1         | 10.8 lb          |
| 33802    | Halligan/Axe Marrying Strap, Hook & Loop Fastener (Fits 30" Halligan & 32" Axes) | 0.33 lb        | 18"    | 4         | 2 lb             |
| 34026    | Classic Nuplaglas Steel Claw & Pry Halligan Tool, Black (Police/SWAT)            | 8.8 lb         | 30"    | 1         | 10.6 lb          |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

PULASKI



FIRE SWATTER

FIRE RAKE

MCLEOD




FIRE

HANDLES

| PART NO.                                                 | DESCRIPTION                                                     | HEAD WEIGHT | HANDLE LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------------------------------------------------------|-----------------------------------------------------------------|-------------|---------------|------------|-----------|------------------|
| 31776                                                    | Ergo-Power Pulaski Axe (PA375-LECS)                             | 3.5 lb.     | 36"           | CS         | 2         | 14.5 lb          |
| 31676                                                    | Ergo-Power Pulaski Axe (PA375-LESG)                             | 3.5 lb.     | 36"           | SG         | 2         | 14.5 lb          |
| 31375                                                    | Classic Nuplaglas® Pulaski Axe (PA375-36)                       | 3.5 lb.     | 36"           | DB         | 2         | 13.5 lb          |
| 06202                                                    | Hickory Pulaski Axe                                             | 3.5 lb.     | 36"           | -          | 2         | 12 lb            |
| 36" Nuplaglas® Pulaski Replacement Handles (see page 46) |                                                                 |             |               |            |           |                  |
| 69215                                                    | Classic Nuplaglas Fire Swatter (FSW-15)                         | -           | 60"           | B          | 6         | 30 lb            |
| 69214                                                    | Classic Nuplaglas Fire Rake (SFR-4)                             | -           | 60"           | B          | 1         | 5 lb             |
| 69216                                                    | Classic Nuplaglas U.S. Forest Service McLeod Fire Tool (FHR-48) | -           | 48"           | B          | 1         | 6 lb             |

# REPLACEMENT HANDLES

## Nuplaglas® Cross Section Chart



| GLASS SIZE | MAJOR (INCH) | MINOR (INCH) |
|------------|--------------|--------------|
| 43         | 0.433        | 0.297        |
| 51         | 0.520        | 0.359        |
| 65         | 0.641        | 0.424        |
| 75         | 0.735        | 0.453        |
| 85         | 0.842        | 0.539        |
| 95         | 0.961        | 0.586        |
| 100        | 0.966        | 0.742        |
| 118        | 1.124        | 0.772        |
| 122        | 1.176        | 0.947        |
| 140        | 1.363        | 0.985        |

## Nuplabond® Striking Tool Handles - Classic Nuplaglas®

(AE) / (A) KITS:  
Individual Handle w/ Epoxy

(CIPE) / (CIP) KITS:  
Multi-Handle Packs w/ Epoxy

(IPE) / (IP) KITS:  
Multi-Handle Packs w/o Epoxy

| PART NO. | DESCRIPTION                                 | EPOXY INCLUDED? | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|---------------------------------------------|-----------------|--------|------------|-----------|------------------|
| 59512    | Fits 8 oz Ball Pein (A 5112)                | Yes             | 12"    | H          | 1         | 0.5 lb           |
| 59653    | Fits 12 oz Ball Pein / 7 oz Claw (A 6513)   | Yes             | 13"    | H          | 1         | 0.5 lb           |
| 59954    | Fits 3-4 lb Sledge (A 9514)                 | Yes             | 14"    | C          | 1         | 1.25 lb          |
| 59959    | Fits 3-4 lb Sledge (A 9514-SG)              | Yes             | 14"    | SG         | 1         | 1.25 lb          |
| 59189    | Fits 6-20 lb Sledge/6-8 lb Maul (A 11836SG) | Yes             | 36"    | SG         | 1         | 3 lb             |

## Nuplabond® Striking Tool Handles - Classic Nuplaglas®

| PART NO. | DESCRIPTION                                                            | EPOXY INCLUDED? | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|------------------------------------------------------------------------|-----------------|--------|------------|-----------|------------------|
| 61431    | Fits 4 oz Ball Pein (IP 4311)                                          | No              | 11"    | H          | 10        | 4 lb             |
| 61512    | Fits 8 oz Ball Pein (IP 5112)                                          | No              | 12"    | H          | 10        | 4 lb             |
| 61653    | Fits 12 oz Ball Pein / 7 oz Claw (IP 6513)                             | No              | 13"    | H          | 10        | 6 lb             |
| 61753    | Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7513)                         | No              | 13"    | H          | 10        | 6.25 lb          |
| 61755    | Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7514SG)                       | No              | 14"    | SG         | 10        | 6.5 lb           |
| 61854    | Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (IP 8514)   | No              | 14"    | H          | 10        | 7.5 lb           |
| 61855    | Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (IP 8514SG) | No              | 14"    | SG         | 10        | 7.5 lb           |
| 61959    | Fits 3-4 lb Sledges (IP 9514SG)                                        | No              | 14"    | SG         | 5         | 5.5 lb           |
| 61956    | Fits 48 oz Ball Pein (IP 9516)                                         | No              | 16"    | C          | 5         | 6 lb             |
| 61957    | Fits 48 oz Ball Pein (IP 9516SG)                                       | No              | 16"    | SG         | 5         | 6 lb             |
| 61186    | Fits 6-20 lb Sledge/6-8 lb Maul (IP 11836)                             | No              | 36"    | CS         | 5         | 14.5 lb          |
| 61189    | Fits 6-20 lb Sledge/6-8 lb Maul (IP 11836SG)                           | No              | 36"    | SG         | 5         | 14.5 lb          |

## Nuplabond® Epoxy Kits & Bulk

| PART NO. | DESCRIPTION                               | SIZE     | STD. PACK | STD. PACK WEIGHT |
|----------|-------------------------------------------|----------|-----------|------------------|
| 39012    | Nuplabond A/B, For Small Hammers (BK-12)  | 12 gr    | 2         | 0.25 lb          |
| 39024    | Nuplabond A/B, For Sledge Hammers (BK-24) | 24 gr    | 1         | 0.25 lb          |
| 39072    | Nuplabond A/B, For Axes (HK-147)          | 72 gr    | 1         | 0.38 lb          |
| 41120    | Nuplabond A (NBA-32)                      | 1 quart  | 1         | 2.25 lb          |
| 41220    | Nuplabond B (NBB-32)                      | 1 quart  | 1         | 2.25 lb          |
| 41180    | Nuplabond A (NBA-128)                     | 1 gallon | 1         | 8.5 lb           |
| 41280    | Nuplabond B (NBB-128)                     | 1 gallon | 1         | 8.5 lb           |

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

# REPLACEMENT HANDLES

## Striking Tool & Axe Handles

STRIKING

AXES



DIGGING

| PART NO. | DESCRIPTION                                                         | EPOXY INCLUDED? | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|---------------------------------------------------------------------|-----------------|--------|------------|-----------|------------------|
| 62110    | Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (IPE7514SG) | No              | 14"    | SG         | 10        | 8 lb             |
| 59832    | Ergo-Power Sledge/Maul Nuplabond (AE132SG)                          | Yes             | 32"    | SG         | 1         | 3.44 lb          |
| 59834    | Ergo-Power Sledge/Maul Nuplabond (AE136SG)                          | Yes             | 36"    | SG         | 1         | 3.44 lb          |
| 55551    | Ergo-Power Pick/Mattock, #6 eyehole (NS6-1ESG)                      | No              | 36"    | SG         | 1         | 3.2 lb           |
| 55390    | Classic Nuplaglas Pulaski Axe (B-139D)                              | Yes             | 36"    | SB         | 1         | 2.5 lb           |
| 63470    | Classic Nuplaglas Single Bit Axe/Bush Hook (IP 147-36-S)            | No              | 36"    | SB         | 5         | 16 lb            |

MAINTENANCE

FORESTRY

FIRE




### Mech/Loc® Handles

- Assemble with wedges, just like wood
- No epoxy needed
- Repair broken handles on the job site; no epoxy or curing time needed

| PART NO.                                    | DESCRIPTION                   | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|---------------------------------------------|-------------------------------|--------|------------|-----------|------------------|
| <b>16-20 OZ CLAW/RIPPING HANDLES</b>        |                               |        |            |           |                  |
| 59883                                       | Classic Nuplaglas (ML8513)    | 13"    | H          | 1         | 10.85 oz         |
| 59987                                       | Classic Nuplaglas (ML9514SG)  | 14"    | SG         | 1         | 13.22 oz         |
| 59989                                       | Classic Nuplaglas (ML9516SG)  | 16"    | SG         | 1         | 14.1 oz          |
| <b>6-16 lb Sledge / 6-8 lb Maul Handles</b> |                               |        |            |           |                  |
| 59800                                       | Ergo-Power (ML132ESG)         | 32"    | SG         | 1         | 2.77 lb          |
| 59801                                       | Ergo-Power (ML136-ESG)        | 36"    | SG         | 1         | 3.08 lb          |
| 59200                                       | Classic Nuplaglas (ML11832SG) | 32"    | SG         | 1         | 2.75 lb          |

HANDLES

# REPLACEMENT HANDLES



STRIKING

AXES

## Pike Pole Handles

| PART NO. | DESCRIPTION                                 | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|---------------------------------------------|--------|------------|-----------|------------------|
| 36306    | Classic Nuplaglas Pike Pole, Round (YPD-6R) | 6'     | -          | 1         | 3.75 lb          |

DIGGING

MAINTENANCE

## Digging & Maintenance Tool Handles

| PART NO. | DESCRIPTION                                               | LENGTH | GRIP STYLE | STD. PACK | STD. PACK WEIGHT |
|----------|-----------------------------------------------------------|--------|------------|-----------|------------------|
| 68800    | Ergo-Power Hollow/Closed Back Shovel/Scoop (48LHS-E)      | 48"    | -          | 6         | 14.5 lb          |
| 68801    | Ergo-Power Hollow/Closed Back Shovel/Scoop (27SHD-E)      | 27"    | D          | 6         | 11.5 lb          |
| 68803    | Ergo-Power Hollow/Closed Back Shovel/Scoop (30SHD-E)      | 30"    | D          | 6         | 12.5 lb          |
| 68430    | Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (30SHD) | 30"    | D          | 6         | 12.5 lb          |
| 68448    | Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (48LHS) | 48"    | -          | 6         | 14.5 lb          |

FORESTRY

FIRE

HANDLES



**Ask your NUPLA salesperson about our Merchandising Programs**



Nupla Corp,  
6604 Old Hwy 80 W  
Meridian, MS 39307

**[www.nuplatools.com](http://www.nuplatools.com)**  
**email: [sales@nuplcorp.com](mailto:sales@nuplcorp.com)**

For more information call

**601-693-3482**  
**800-872-7661**

or fax

**800-546-8752**