

**FIX, MAINTAIN, & PROTECT YOUR INVESTMENT.
OPTIMIZE YOUR PERFORMANCE.**



**ENGINE &
EQUIPMENT
PERFORMANCE
SOLUTIONS**





ADVANCED TECHNOLOGY TO FIX, MAINTAIN, & PROTECT YOUR ENGINES, EQUIPMENT, & OTHER VALUABLE INVESTMENTS

TABLE OF CONTENTS

CATEGORY	PAGE NUMBER
TABLE OF CONTENTS	2
OVERVIEW	3
TESTING	4-7
GASOLINE & DIESEL SOLUTIONS	
Mechanic In A Bottle All Engine Fuel Additive (Gas & Diesel).....	8
Ethanol Shield Fuel Stabilizer (Gas).....	9
Ethanol Shield Marine Fuel Stabilizer & Preservative (Gas).....	10
Fuel Life In-Tank Fuel Stabilizing Filter (Gas).....	11
Ethanol Shield 2-Cycle Oil with Fuel Stabilizer (Gas).....	12
Diesel Water Absorbers (Diesel Tank Snakes).....	13
OIL & LUBRICANT SOLUTIONS	
Hydraulic Oil Fix (Bio-Engineered).....	15
Friction Fix (Wear, Vibration, Friction Reducer).....	16
DryZoil Oil & Headspace Water Absorbers (Storage).....	17
DryZoil Oil Water Absorbers (In Equipment Tank).....	18
Oil Lock Super Fuel & Oil Spill Absorbent & Solidifier.....	19
Mechanic In A Bottle Bar & Chain Lubricant (Bio-Engineered).....	20
Mechanic In A Bottle Blade & Chain Penetrating Lubricant & Cleaner.....	21
Mechanic In A Bottle Penetrating Lubricant (Bio-Engineered Thin Spray).....	22
Mechanic In A Bottle Pressure Washer Pump Saver (Bio-Engineered).....	23
HOME / OTHER SOLUTIONS	
Mulch Stay-Put Mulch & Stone Glue & Preservative.....	24
DEALER / SERVICE	
Mechanic In A Bottle Pro Servicing Dealer Technology.....	25
PART NUMBERS	26-28

All information in this flyer is confidential and subject to change without notice.
Please contact B3C Fuel Solutions when placing orders. We appreciate your business!

Contact us today. For more information, sell sheets, and third party test results, visit B3Cfuel.com



**World's Most Comprehensive SOLUTIONS to
IDENTIFY, FIX and PREVENT
fuel and oil related issues so engines and
equipment perform optimally and last longer.**

B3C Solutions is a world leading manufacturer of a complete line of additives and patented fluid-drying desiccants (water absorbers) for gasoline, diesel, and oils, as well as unique, environmentally-friendly lubricants, spill remediation, and other valuable consumer solutions.

B3C's worldwide brands like Mechanic In A Bottle Fuel System Cleaner, Ethanol Shield Fuel Stabilizer, Fuel Life, Diesel Mechanic In A Bottle, Mechanic In A Bottle Hydraulic Oil Fix, and Mulch Stay are leading the industry to keep equipment and machinery running and lasting longer by identifying, fixing and preventing issues caused by modern fuels, water and contamination.

B3C products help industrial, professional, and do-it-yourself (DIY) users improve productivity and save time and money by avoiding repairs; downtime; and unnecessary costs.

With a goal of 100% sustainable products, our solutions help benefit you while delivering environmentally responsible goals that benefit the planet.

AWARD WINNING, PATENTED PRODUCTS

This **CATALOG** provides a high level look at some of our key **PRODUCT INNOVATIONS**. For further details about these, and many other products (including full product overviews, third party lab test results) and more, and to order products online, please visit our website at **www.B3CFuel.com**.




2011 Fuel Testing

2012 Gas Tank Snake

2013 2 Cycle Oil



2013 Gas Tank Snake
Popular Mechanics Best New Product award
at the AAPEX





GASOLINE QUALITY 2-in-1 QUICK TEST



THE FIRST LINE OF DEFENSE IN ENGINE & FUEL SYSTEM PROTECTION

USE FOR ALL
GASOLINE
APPLICATIONS



WHY TEST TODAY'S MODERN ETHANOL BLENDED GASOLINE?

- Ethanol attracts water (hygroscopic); more alcohol, more problematic
- Corrosive ethanol/water mix falls to the tank bottom (phase separation) and is pulled into the engine
- Ethanol blended gas decomposes in as little as 30 days
- Severe ENGINE DAMAGE can occur when run on marginal gas
- Damage includes carbon, varnish, rust, gumming, brittle / broken rubber and plastic parts, corrosion and more
- **The result of bad gas is POOR or NON-RUNNING engines**

E-15 EXPANDING; MISFUELING CONCERNS

- E-15 or higher is expanding across the US
- E-15 or higher degrades faster, causing more issues than E-10
- Pumps are confusing and people buy the cheapest gas (with highest alcohol)
- E-15 summer waiver allows selling E-15 during lawn & garden season (formerly prohibited)



HOW CAN TESTING HELP?

- TEST to keep from using bad gas
- TEST to determine if bad gas was used (helps reduce warranty claims)
- IDENTIFY & DIAGNOSE decaying or stale gasoline
- IDENTIFY & DIAGNOSE phase separation & water



Varnish



White Rust



Dried Rubber



Phase Separation

SIMPLE, QUICK, LOW COST

- DIP 2-in-1 Test Swab in your fuel tank or container.
- Check the test chart color. Any color not white indicates decaying or bad gas. Blue on the tip indicates water.
- PRO swabs for SERVICING DEALERS are pass / fail format - any color beyond white is failure.

GR # 45GU46



3 pack gas swabs
Part # 7-903

GR # 45GU45



100 count PRO Swabs
Part # 7-100



Page 4



DIESEL QUALITY 4-in-1 QUICK TEST




THE FIRST LINE OF DEFENSE IN
ENGINE & FUEL SYSTEM PROTECTION

USE FOR ALL
DIESEL
APPLICATIONS



WHY TEST TODAY'S MODERN DIESEL FUEL?

- Up to 20% Bio-Diesel
- Up to 10 X more water
- Biodegradable
- Prone to fuel fouling
- Corrodes fuel system components
- Harmful to rubber and plastic
- Acts as a solvent
- Gelling in cold weather
- 83% of diesel tanks exhibit corrosion




HOW CAN TESTING HELP?

- TEST to avoid using bad diesel that leads to fuel system problems
- TEST to identify issues with your current diesel fuel & tanks
- QUICKLY IDENTIFY 4 KEY ISSUES WITH 1 TEST:
 - Bad diesel fuel (oxidation)
 - Water contamination
 - Rust & scale
 - Sludge & asphaltenes




Bad Diesel Fuel
& Water



Rust & Scale



Sludge &
Asphaltenes



Microbial Growth



Clogged Injectors



Clogged Filters

SIMPLE, QUICK, LOW COST

- ATTACH test swab to extender and DIP 4-in-1 Test Swab in your fuel tank or container.
- Check the test chart color to determine fuel quality and the presence of contamination (diesel fuel oxidation, water, rust, sludge / asphaltenes).



10 Pack Diesel Swabs
Part # 7-014

DIESEL FUEL OXIDATION TEST CHART



FUEL TANK CONTAMINATION CHART



GR #49U516

Page 5



DEF CONTAMINATION TEST

TEST FOR CONTAMINATION IN
DIESEL EXHAUST FLUID



WHY TEST?

It is important to keep Diesel Exhaust Fluid (DEF) free of contamination. Contamination can shorten the life of, or damage, the SCR system (Selective Catalytic Reduction).

WHAT are you TESTING for?

CONTAMINATION such as diesel fuel, oil, gasoline, and other hydrocarbons.

HOW can you TEST for DEF CONTAMINATION?

DEF TEST STRIPS

Our DIP and DETECT test strips are simple. Just DIP into the DEF fluid in the DEF tank. Any color change indicates oil contamination.

DIP & DETECT TEST STRIPS ARE SIMPLE:

DIP IN DEF FLUID IN THE DEF TANK
ANY COLOR CHANGE INDICATES OIL
CONTAMINATION

TESTS FOR DIESEL, OILS, HYDROCARBONS, GAS
PROLONG THE LIFE OF THE SCR SYSTEM
(SELECTIVE CATALYTIC REDUCTION)




**No Color
Change = PASS**

**Darker Color
Change = FAIL**



Simple Dip & Detect Quick Test



SIMPLE TO USE / LOW COST:

Step 1: If necessary, attach strip to extender (e.g. alligator clip, dowel rod & rubber band). Note: Extender is not included.

Step 2: Submerge strip into Diesel Exhaust Fluid in the DEF tank.


Step 3: Remove strip and view.

Step 4: Any color change indicates contamination. Follow manufacturer's recommended procedure for contaminated fluid.



URNS DARKER BLUE WHEN HYDROCARBONS ARE PRESENT
FAST, EASY, ACCURATE, LOW COST

*** DETECTS HYDROCARBONS LIKE CRUDE OIL, GAS, DIESEL, JET FUEL, HEATING OIL, BENZENE, CHLORINATED SOLVENTS, LUBRICATING OIL, KEROSENE, MUCH MORE**



The Hydrocarbon Detection Strip turns a darker blue when hydrocarbons are present.

Note: Images for visual purposes only. Packaging, branding, etc. are subject to change.

PRODUCT DESCRIPTION:

The Hydrocarbon Detection Strips can quickly and accurately determine the presence of hydrocarbons in water. When the Hydrocarbon Detection Strip is introduced into a potential hydrocarbon situation, the light blue strip will turn a darker blue if hydrocarbons are present. The color intensity and size of the darker blue areas are indicators of the quantity of hydrocarbons contained in the sample. If the sample contains no hydrocarbons, the strip will not moisten or discolor.

PRODUCT APPLICATIONS:

Hydrocarbon Detection Strips can be used to detect hydrocarbon contaminated water in elevator shafts, underground utility vaults and manholes, retention and secondary containment vessels, and out-fall on oil-water separators prior to pumping out the water.

PERFORMANCE SPECIFICATIONS:

The sensitivity of the Hydrocarbon Detection Strip is dependent upon the solubility of the hydrocarbons. By moving the strip back and forth a few times at the surface of the water, the following values can be detected:

Example of Hydrocarbons	Lower Limit PPM of Water	Clearly Detectable PPM of Water
Petroleum Ether (B.P. 40-80C)	250 PPM	400 PPM
Gasoline (High Octane)	10 PPM	25 PPM
Heating Oil	5 PPM	10 PPM
Lubricating Oil	1 PPM	5 PPM

When testing volatile substances, the color reaction must be evaluated immediately due to rapid fading.

BENEFITS:

- The Hydrocarbon Detection Strips measure approximately 2.75" x .75".
- The Hydrocarbon Detection Strips can detect the presence of hydrocarbons in water prior to pumping, thus eliminating potential fines.





AUTO / TRUCK / MARINE / POWERSPORT / SMALL ENGINE
FUEL SYSTEM CLEANER & FUEL STABILIZER

FIX & MAINTAIN ALL GAS & DIESEL ENGINES

FOR PEAK ENGINE PERFORMANCE

This ultra-concentrated synthetic gasoline & diesel additive is for use in all gas, gas-ethanol blends, diesel and biodiesel blends. Just pour in the fuel tank of any 2-cycle, 4-cycle, or diesel engine to help fix & maintain your cars, trucks, boats, tractors, small engines and more. Use regularly to maintain **PEAK ENGINE PERFORMANCE**.

- Cleans injectors and the entire fuel system so that it starts efficiently and operates in top condition
- Fuel stabilizer keeps fuel fresh; protects the engine, prevents problems & helps with easy starts after storage
- Superior antioxidant and anticorrosive package
- Removes varnish, shellac, carbon deposits and disperses water in the fuel system
- Helps prevent the formation of fuel contaminants including gums, varnishes, sludge deposits, bacteria, fungus
- On machine carburetor, injector, & internal engine component cleaning
- Reconditions rubber and plastic components and rejuvenates rubber gaskets and seals
- Replaces lost lubrication, extending the life of pumps and injectors
- Helps revitalize old fuel

GR #'s

49U493 (8 oz)

49U494 (24 oz)

49U495 (1 gal)

49U497 (55 gal)

AVAILABLE
IN 4, 8, 16,
24 OZ AND
GALLONS



Scan with phone
camera & click on
link that pops up for
live test and demo



Page 8

B³C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.





**KEEPS
FUEL FRESH**

AMERICA'S FAVORITE FUEL STABILIZER

**EASY STARTS
AFTER STORAGE**

- New standard of antioxidants and anticorrosives
- Vapor corrosion inhibitor protects against corrosion above and below the fuel line for non-ferrous metals
- Proprietary top tier detergent reduces need for higher octane as machine ages
- Phase separation inhibitor
- All metal anticorrosive package (top Level ASTM & NACE ratings)
- Superior antioxidant package
- Bonds 2 Cycle Oil to gasoline / ethanol mix
- Combustion Cool Technology (CCT)
- Upper cylinder lubrication
- Rubber and plastic protection
- Dramatically slows fuel aging

AVAILABLE
IN 4, 8,
24 OZ AND
GALLONS



Scan with phone
camera & click on
link that pops up for
live test and demo

GR #'s

49U486 (4 oz)
49U487 (8 oz)
49U488 (24 oz)
49U489 (1 gal)
49U491 (55 gal)





**AMERICA'S FAVORITE FUEL
STABILIZER INTRODUCES:**

ETHANOL SHIELD MARINE

FUEL STABILIZER & PRESERVATIVE

AFTER 15 YEARS AND OVER 20 MILLION BOTTLES SOLD, AMERICA'S FAVORITE FUEL STABILIZER IS NOW AVAILABLE IN A FORMULA SPECIFICALLY ENGINEERED FOR MARINE ENGINES.

TRUST YOUR ENGINE WITH A PRODUCT THE OEMS TRUST & USE!

- Use Year Round for Peak Engine Performance & Advanced Protection
- Preserves Fuel, Keeps Fuel Fresh & Dramatically Slows Fuel Aging (see Third Party Test Results)
- Proprietary Top Tier P.E.A. Based Detergent — keeps carburetor and injectors clean, prevents ring sticking, & carbon & varnish build-up in your engine to keep it running like new
- Phase Separation Inhibitor / Helps Remove Water
- 3X All Metal Anticorrosive Package (Top Level ASTM & NACE Ratings)
- 2X Antioxidant Package - Antioxidants Compared To Leading Competitors
- Upper Cylinder Lubrication
- Octane Stabilizer
- For All Engines, 2 & 4 Cycle and All Gasolines, with or without Ethanol

AVAILABLE IN:
24 OZ AND
GALLONS



Scan with phone
camera & click on
link that pops up for
HOW TO USE video



Page 10



B3C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.



FUEL LIFE™

IN-TANK FUEL STABILIZING FILTER



ECO-FRIENDLY CHEMICAL-FREE FUEL STABILIZER

YEAR-ROUND, TOTAL EQUIPMENT PROTECTION

OEM TESTED, USED & APPROVED

WORLDWIDE COMPLIANCE



SET IT & FORGET IT



IT KEEPS GAS FRESH



CONTAMINATION PROTECTION: Prevents formation of contaminants (gums, varnish) that clog the fuel system leading to starting and operating problems

WATER PROTECTION: Removes water; Prevents water (phase) separation

- Removes water & contaminants
- Stabilizes fuel
- Prevents ethanol issues
- Stops phase separation
- Protects from corrosion and varnish
- Continuous, multi-year protection
- Use in all fuels and fuel blends
- No chemicals
- Multi-patented



2-PACK

- Single Package contains 2 filters and 2 sets of tethers, tags, clips
- POS Ready Case includes 9 Single Packages



Scan with phone camera for How-To-Use videos

FOR STATIONARY & NON-PASSENGER GASOLINE EQUIPMENT

Drop In Tank for Total Equipment Protection

www.B3Cfuel.com 843-347-0482





OEM Used, Tested & Approved

Used in Over 20 Million Pieces of Equipment

2 CYCLE OIL

WITH FUEL STABILIZER

PREMIUM 2-IN-1 FORMULA 2-CYCLE OIL WITH ETHANOL SHIELD FUEL STABILIZER

- Proprietary Top Tier Detergent
- Protects & Prevents Repairs
- Extends Engine Life
- Stabilizes Fuel up to 1 Year with Ethanol Shield 
- Protects Against all Ethanol Issues
- Triple Antioxidants Preserve Fuel
- Ethanol Shield Rust & Corrosion Inhibitors 
- Bonds 2 Cycle Oil to Fuel 
- Ethanol Shield Protects Rubber Components 
- Reduces Engine Temperature (CCT)
- Protects Against Ring Wear / Sticking
- Low Smoke Formula
- Semi-Synthetic Oil Blend
- Exceeds: JASO FD, ISO-L-EGD, API TC and TISI performance standards



1 Gallon 50:1 MIX




No other 2-cycle oil has these unique features!

PROBLEM:

WATER is in every diesel tank and is the root cause of problems like bacteria, fungus, sludge, & more. Remove the water, remove the problems.

WHERE DOES WATER COME FROM?

- Condensation through fuel system vents
- External leaks in the tank
- Heating and cooling from temperature variations
- Inherent to ULSD



SOLUTION: DIESEL TANK SNAKE water absorbers for diesel fuel provide superior water removal and protection (keeps water out) for the entire diesel fuel system. **Remove the water, remove the problem.**

- REMOVES WATER, RUST, SALTWATER, DEF from fuel storage tanks
- EASY INSTALL & REMOVE by included high strength tether line
- NEODYMIUM MAGNETS remove insoluble rust (storage only)
- SIZES TO FIT ALL TANKS

INSTANT version removes water quickly (approx. 30-60 min), then disposable



STORAGE version removes water within 2 or more days and is reusable (replace every 6 months)



Tank Snake Sizes & Options

DIESEL TANK SNAKES	PROTECTION	TIMING	TYPE	LENGTH (FEET)	DIAMETER (INCHES)	COLOR
1. INSTANT	WATER ONLY	FAST / 30 - 60 MIN	DISPOSABLE	2 to 4 ft	2 in	YELLOW
2. SMALL TANK	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	2 ft	1 in	RED
3. STORAGE TANK	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	1, 3, 5, 7, 10, 14 ft	2 in	BLACK
4. STORAGE TANK (heavy duty)	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	1.5 ft	2.5 in	WHITE

* custom sizes available

Page 13



A large yellow excavator is shown in the process of digging a trench. The excavator's arm is extended, and its bucket is filled with dark, moist soil. The background shows a clear sky and some distant trees. The overall scene is a construction or mining site.

OIL & LUBRICANT SOLUTIONS



MECHANIC IN A BOTTLE HYDRAULIC OIL FIX & STABILIZER

Fixes & Stabilizes Emulsified Oil

Prevent Problems • Fix Oil • Flush & Clean Oil System

PROBLEM: All oils, including new oils, are affected by water. Bound water in oil has no lubrication (stiction, loss of productivity). Dissolved water molecules (polar) actively seek other polar molecules, including metals, additives such as detergents, antioxidants, friction modifiers, and anti-wear additives. Water will come out of suspension and form white gummy masses in various areas of the unit (can not be flushed). Any oil with water exceeding 300 PPM is corrosive leading to rust, hydrolysis, sludge. Emulsified water can cause oil to behave unexpectedly, and can cause clogged filters, and increased oil acidity.

SOLUTION: Mechanic In A Bottle Hydraulic Oil Fix & Stabilizer can FIX and PREVENT emulsified oils so that equipment runs and operates at maximum efficiency. It will FIX milky, contaminated hydraulic oil and improve machine performance.

WORKS IN ALL OILS

HYDRAULIC, ENGINE (CONVENTIONAL, SYNTHETIC), GEAR, TRANSMISSION, POWER STEERING, TRANSFER CASE, TURBINE, COMPRESSOR, DIFFERENTIAL, MORE.

- ◆ STABILIZES OIL
- ◆ OIL SYSTEM FLUSH
- ◆ ADDS LUBRICITY
- ◆ RESTORES VISCOSITY
- ◆ ANTI-CORROSION
- ◆ NEUTRALIZES ACIDS
- ◆ ENCAPSULATES WATER
- ◆ HELPS FIX EMULSIFIED OIL
- ◆ INCREASES BASE NUMBER
- ◆ HELPS CLEAN OIL SYSTEM
- ◆ PATENT PENDING

Does not contain harmful:

- Petroleum Distillates
- Alcohol
- Glycol Ethers



Scan with phone camera & click on link that pops up for live test and demo



**BEFORE
TREATMENT:**



**AFTER
TREATMENT:**



AVAILABLE IN 24 & 128 OZ.
CALL FOR OTHER SIZES



B3C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



Fix & Prevent Fuel & Oil Related Issues

For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.





FRICITION FIX CHEMICALLY CREATES A SILICON CARBIDE CERAMIC NANO-COATING TO DRASTICALLY REDUCE FRICTION*



REDUCES WEAR 49%
IN ASTM TESTING*

REDUCES FRICTION 28%
IN ASTM TESTING*

* FRICTION FIX is highly efficient with treatment use at 1% of the capacity of the oil system (vs. competitive products requiring up to 5 to 20%)

WHAT IS FRICTION FIX?

Mechanic In A Bottle FRICTION FIX is a revolutionary oil treatment that drastically reduces friction, wear, vibration, stiction, heat and more in oil and hydraulic systems. This groundbreaking technology is achieved by introducing a nano-Silicon precursor into a Carbon atmosphere (heat & pressure). It chemically creates a Silicon Carbide ceramic nano-coating at the micron level within the pits, crevices, and valleys of ALL metal parts where it is introduced. The result is superior, high-performance lubrication.

After years of research, development, and purposeful engineering, FRICTION FIX is designed to be the ultimate EFFICIENCY MULTIPLIER by reducing FRICTIONAL POWER LOSS and improving all areas that degrade efficiency throughout the entire oil and hydraulic system.

FRICTION FIX is engineered using 3 effective stand-alone (expired) patents, that when combined, create the absolute best friction & wear reduction treatment on the market for oil and hydraulic systems.

WHY USE FRICTION FIX?

PROBLEM: There are multiple points within oil and hydraulic systems where the forces of resistance must be overcome to produce efficient movement (e.g. hydraulic cylinder seals, actuators). Friction opposes efficiency by increasing heat, stiction, vibrations, wear, parts damage and more leading to FRICTIONAL POWER LOSS (losses of up to 28% in hydraulic systems, 33% in engines, & 65% in gear systems), ultimately leading to increased costs and losses in productivity and revenues.


SOLUTION: While friction is an EFFICIENCY DEGRADER, Mechanic In A Bottle FRICTION FIX is the ultimate EFFICIENCY MULTIPLIER. By adding FRICTION FIX to oil and hydraulic systems, it helps overcome resistance at every point where friction occurs, drastically reducing friction, wear, stiction, heat, vibrations and more. The result is increased power, smoothness, efficiencies, productivity and revenues. With FRICTION FIX, results improve with more time and use. **Finally, FRICTION FIX is highly efficient, with a treatment use requirement of only 1% of the capacity of the oil system compared to competitive products requiring up to 5 to 20%.*

- Reduces friction, wear, vibration, stiction, heat
- Reduces FRICTIONAL POWER LOSS
- Increases power and energy output
- Protects against carbon & lacquer buildup
- Increases compression




ASTM TESTING DEMONSTRATES WEAR & FRICTION REDUCTION BY ADDING FRICTION FIX

HYDRAULIC FLUID: WEAR & FRICTION TEST RESULTS - ASTM D4172



WEAR SCAR DATA	
SAMPLE: STP Hydraulic Oil with additive Lab# 22090237	
DESCRIPTION Four Ball Wear with Coefficient of Friction Graph 40 kg, 1200 rpm, 1 hr. @ 75°C	RESULTS Graph attached 0.33 mm
SAMPLE: STP Hydraulic Oil Lab# 22090236	
DESCRIPTION Four Ball Wear with Coefficient of Friction Graph 40 kg, 1200 rpm, 1 hr. @ 75°C	RESULTS Graph attached 0.42 mm



KEEP READING FOR MORE TEST RESULTS

Page 16





PROBLEM: NEW OIL AND STORED OIL OFTEN CONTAIN HIGH LEVELS OF BOUND WATER CONTAMINATION THAT GETS WORSE OVER TIME. THIS GETS IN THE EQUIPMENT'S HYDRAULIC SYSTEM, LEADING TO SLUGGISH PERFORMANCE AND COSTLY INTERNAL COMPONENT DAMAGE.


SOLUTION: MOLECULAR WATER ABSORBERS FOR OIL IN STORAGE (DRIES OIL & HEADSPACE)

1 USE IN 55 GAL DRUMS IN STORAGE; KEEPS HEADSPACE DRY & OIL DRY, FRESH & STABILIZED



PART # DZ-24-DF: SIZED TO FIT 55 GALLON DRUMS

- REMOVES WATER IN OIL & DRUM HEADSPACE DURING STORAGE
- HELPS STABILIZE OIL
- SUSPENDED BY FLOAT WITHIN OIL
- SIMPLE TO USE; LOW COST
- DISPOSABLE




2 USE IN 275+ GAL TOTES IN STORAGE; KEEPS HEADSPACE DRY & OIL DRY, FRESH & STABILIZED



PART # DZ-24-TF: SIZED TO FIT 275+ GALLON TOTES

- REMOVES WATER IN OIL & TOTE HEADSPACE DURING STORAGE
- HELPS STABILIZE OIL
- SUSPENDED BY FLOAT WITHIN OIL
- SIMPLE TO USE; LOW COST
- DISPOSABLE





PROBLEM: NEW OIL AND STORED OIL OFTEN CONTAIN HIGH LEVELS OF BOUND WATER CONTAMINATION THAT GETS WORSE OVER TIME. THIS GETS IN THE EQUIPMENT'S HYDRAULIC SYSTEM, LEADING TO SLUGGISH PERFORMANCE AND COSTLY INTERNAL COMPONENT DAMAGE.

SOLUTION: MOLECULAR WATER ABSORBERS FOR OIL ON MACHINE (DRIES OIL IN TANK)

1 USE IN TANK ON SMALL SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

PART # DZ-07-SS: APPROX. SIZE: 7 INCH LONG X 1 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE



2 USE IN TANK ON MEDIUM SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

PART # DZ-12-MS: APPROX. SIZE: 12 INCH LONG X 1 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE
- CAN BE USED IN UP TO 5 GALLON BUCKETS FOR STORAGE



3 USE IN TANK ON LARGE SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

PART # DZ-36-LS: APPROX. SIZE: 36 INCH LONG X 2 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE
- CAN BE USED IN DRUMS AND TOTES FOR STORAGE





ABSORBS AND SOLIDIFIES CRUDE OIL, GAS, DIESEL, JET FUEL, HEATING OIL, BENZENE, CHLORINATED SOLVENTS, LUBRICATING OIL, KEROSENE, MUCH MORE

INSTANTLY ABSORBS AND SOLIDIFIES OIL AND OTHER HYDROCARBONS THROUGH MOLECULAR CAPTURE

PRODUCT DESCRIPTION:

B3C's Oil Lock is a super absorbent that quickly absorbs and solidifies oil and other hydrocarbons through molecular capture, creating a non-leaching, low volumetric barrier that immobilizes the hydrocarbon, which is converted into a solid matrix.

Oil Lock immobilizes spills in water or on land by converting liquid petroleum or hydrocarbons (like fuel) into a solid matrix. Once absorbed, Oil Lock will not leach, even under pressure. This solid matrix, and any remaining oil lock material will float (until removed). Oil Lock also reduces or eliminates flammable vapors to reduce the risk of fire or explosion. Finally, Oil Lock is hydrophobic, meaning it absorbs the hydrocarbon and not water. Many wastes when treated with B3C's Oil Lock will pass EPA 9095 (Paint Filter Test) as well as TCLP.

PRODUCT APPLICATIONS:

Common applications include spills at marinas, oil rigs, fueling locations, shops, refineries, emergency and spill response, remediation of contamination and more.

ABSORPTION CAPACITY:

Crude Oil, Diesel Oil, Heating Oil, etc.....up to 11 times its weight
Solvents, Gasoline and Other Highly Refined Products.....up to 7 times its weight

Note: the presence of detergents as in the case of "synthetic" motor oils, can significantly reduce the absorption capacity of this product. Please contact us for more information.

- Cost effective
- Works instantly
- Saves labor
- Hydrophobic and oleophilic
- Easily skimmed from water surface
- Remains buoyant
- Super absorbent
- Non-hazardous disposal*
- Easily collected and disposed of by incineration. Heat of Combustion = 19,300 BTU/lbs. Ash < 0.1%

DIESEL FUEL SPILL:



SOLIDIFIED BY OIL LOCK:



* Always check with local, state, and federal authorities



**BIODEGRADABLE***

MECHANIC IN A BOTTLE BIODEGRADABLE* BAR & CHAIN LUBRICANT

PROBLEM: Bar & Chain Oil is a “Total Loss Lubricant”, meaning 100% of this nonbiodegradable oil ends up on the ground as a contaminant. Each year, over 18 MILLION Gallons of petroleum-based bar & chain oil pollute the Earth. As little as 1 gallon of petroleum-based Bar & Chain Oil can contaminate 1 MILLION gallons of drinking water.

B3C's MECHANIC IN A BOTTLE Biodegradable* Bar & Chain Lubricant is a ground-breaking, new, environmentally friendly, oil free, water soluble bar & chain lubricant that contains no petroleum oils.

- ◆ WORKS IN ALL CHAINSAWS - GAS, BATTERY, ELECTRIC
- ◆ ULTRA-LOW FRICTION HELPS INCREASE BATTERY LIFE
- ◆ HIGH TACK FORMULA HELPS REDUCE SLING & THROW OFF
- ◆ ANTI-WEAR ADDITIVE TO HELP EXTEND BAR & CHAIN LIFE
- ◆ ALL SEASON PERFORMANCE
- ◆ RUST & CORROSION INHIBITORS
- ◆ CONTAINS NO PETROLEUM OILS



Non-staining on pavers, concrete, house paint / siding, walkways, & more



Water soluble for easy water clean-up



Biodegradable Liquid



**AVAILABLE IN 24 & 32 OZ, GALLON (128 OZ),
55 GALLON DRUMS**

* Biodegradable liquid

B3C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.



INTRODUCING!

B³C

MechanicInABottle™

**BLADE & CHAIN
SHIELD**

**PENETRATING
LUBRICANT
& CLEANER**

**PLANT-BASED AND
BIODEGRADABLE***

SUPERIOR PERFORMANCE

- ◆ BREAKS DOWN SAP, RESINS, GUMS
- ◆ MAINTAINS BLADE EDGES HELPS IMPROVE PERFORMANCE
- ◆ UNIQUE SELF-CLEANING capability
- ◆ CORROSION PROTECTION
- ◆ LUBRICATES, CLEANS, PROTECTS
- ◆ EASY USE TIP
- ◆ ALL-PURPOSE (e.g. tools, bike chains, garage doors, & more)

WITH GREEN BENEFITS

- ◆ NON-HAZARDOUS
- ◆ LOW ODOR
- ◆ PETROLEUM-FREE
- ◆ *BIODEGRADABLE, BIO-BASED & SUSTAINABLE
- ◆ PLANT FRIENDLY

* Biodegradable liquid, recyclable bottle and cap

MECHANIC IN A BOTTLE (MIB) BLADE & CHAIN SHIELD is an advanced engineered bio-lubricant that delivers **SUPERIOR PERFORMANCE** with all the benefits of being **GREEN!**


This lubricant is engineered to do a better job cleaning, protecting, and preserving blade edges and tools and equipment.

It uses unique cleaning technology to break down stubborn sap, resins and gums and uses unique surface bonding **SELF-CLEANING** technology for superior protection and lubrication. This ensures your tools and equipment look and perform better over time.

BREAKS DOWN SAP, RESINS, GUMS WORLD'S ONLY SELF-CLEANING LUBRICANT

OUTPERFORMS OTHERS IN BREAKING DOWN SAP, RESINS, & GUMS

MIB BLADE & CHAIN SHIELD was tested against key competitors on the ability to break down and clean dried pine resin (dyed red for visual). As seen, MIB BLADE & CHAIN SHIELD thoroughly broke down and cleaned the pine resin and outperformed all other competitive brands, some of which did not clean the pine resin at all.



HOW DOES SELF-CLEANING WORK?

PROBLEM: Lubricants attract dirt, dust, soot, grime, sand and more, acting like sandpaper on moving parts. More debris means more friction and wear, making the lubricant harmful instead of helpful.

SOLUTION: MIB BLADE & CHAIN SHIELD is uniquely designed with a partially "sacrificial" coat of lubricant engineered to eliminate this dirt and debris over time, as it becomes wet, and when you rinse it off with water. The primary lubricant remains so your parts are protected without the negative effects of dirt and grime experienced with traditional lubricants.



8 oz bottle shown Page 21



B³C

MECHANIC IN A BOTTLE BLADE & CHAIN SHIELD

www.B3Cfuel.com





PLANT-BASED AND BIODEGRADABLE

MECHANIC IN A BOTTLE (MIB) All Purpose Penetrating Lubricant with FRICTION FIX is engineered with unique benefits to outperform all lubricants. It is a patent-pending **ADVANCED BIO-ENGINEERED LUBRICANT*** that delivers **SUPERIOR PERFORMANCE** with all of the benefits of being **GREEN!**

Engineered to protect your tools, equipment, and more, this polar lubricant uses unique surface bonding technology combined with a uniquely engineered **VAPOR CORROSION INHIBITOR** that emits a vapor in enclosed areas (e.g. grill lid, tool box). This vapor coats surfaces to provide a 360 degree protective barrier for ongoing rust and corrosion protection.


FRICTION FIX is a revolutionary oil additive that drastically reduces friction and wear on moving parts.

MIB All Purpose Penetrating Lubricant with FRICTION FIX delivers superior rust and corrosion protection and provides the most advanced lubrication available to ensure your tools, equipment, and any lubricated item looks and operates better over time.

SUPERIOR PERFORMANCE

- ✦ **FRICTION FIX** drastically reduces friction & wear on moving parts
- ✦ **VAPOR CORROSION INHIBITOR** technology emits a vapor in enclosed areas (e.g. grill lid, tool box). This vapor coats surfaces to provide a 360 degree protective barrier for ongoing rust and corrosion protection.
- ✦ **CORROSION PROTECTION** from corrosion & oxidation
- ✦ **CLEANS & PROTECTS**
- ✦ **PENETRANTS TO FREE RUSTED PARTS**
- ✦ **PLANT-FRIENDLY**
- ✦ **EASY-USE CAP**

THIN SPRAYABLE LUBRICANT



THE BENEFITS OF BEING GREEN

- ✦ **LOW VOC**
- ✦ **LOW ODOR**
- ✦ **PETROLEUM-FREE**
- ✦ **LOW CARBON FOOTPRINT**
- ✦ **PLANT-BASED, SUSTAINABLE FORMULA**

* Biodegradable liquid, recyclable bottle and cap



B3C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.





- PLANT-BASED and BIODEGRADABLE*
- FLEXIBLE, BENDIBLE NECK ATTACHMENT for hard to reach locations; ensures COMPATIBILITY with ALL PRESSURE WASHER BRANDS
- ECONOMICAL / ENOUGH PRODUCT FOR MULTIPLE PRESSURE WASHERS
- ANTIFREEZE (SUBZERO) Temperature Protection
- PREVENTS & REVERSES Mineral Deposits with ADVANCED CHELATE Formula
- SUPERIOR LUBRICATION for Pump Valves & Seals
- SUPERIOR CORROSION PROTECTION protects from corrosion & oxidation
- NO PETROLEUM SOLVENTS (PETROLEUM-FREE)
- LOW ODOR

* Biodegradable liquid, recyclable bottle and cap

3/4 inch standard male hose thread

Flexible, bendible neck
- for hard to reach locations
- ensures full bottle utilization


8 ounce, squeeze bottle

Threaded neck attachment



Versus INDUSTRY LEADING COMPETITOR

- CORROSION PROTECTION - In this BEFORE / AFTER test on brass material, MIB Pump Saver demonstrated superior protection compared to the untreated baseline (STATIC) and the competitor. Both the STATIC and COMPETITOR treated areas of the brass show much greater corrosion than the area treated by MIB Pump Saver.
- TEMPERATURE - MIB Pump Saver works in **subzero** temperatures / COMPETITOR only works to **10°F**.
- LUBRICATION - MIB Pump Saver has **superior lubrication** / COMPETITOR has **limited lubrication**.
- PERFORMANCE - MIB Pump Saver **outperforms** COMPETITOR in saving and protecting pumps.





BEFORE treatment

AFTER treatment

Flexible Pour Hose for Ease of Use and 100% Compatibility with All Pressure Washer Brands

- ELIMINATES DIFFICULT INLET ACCESS: The unique, flexible pour hose design allows 100% compatibility with ANY pressure washer and eliminates the common frustration of trying to install on hard to reach inlets.
- ECONOMICAL / FULL PRODUCT UTILIZATION: The flexible hose and squeeze bottle allows customers to tilt up the bottle, then squeeze, to obtain full utilization of the product for multiple pressure washers (unlike competitive products).



MULCH STAY

**MULCH & STONE
GLUE & PRESERVATIVE**

B³C

**PROTECTS & PRESERVES
ALL TYPES & COLORS OF
MULCH, STONE, PINE STRAW**



Wood & Bark Mulch



Stone & Pea Gravel

ALL
MULCH
TYPES &
COLORS



Pine Straw



Rubberized Mulch

- LASTS UP TO 2 YEARS
- UV STABILIZED
- DRIES FAST & CLEAR
- RAIN PROOF ONCE DRY
- PREVENTS EROSION & WASHOUT
- HELPS RETAIN SHAPE & COLOR
- PLANT FRIENDLY
- MAKES EASIER TO BLOW OFF LEAVES
- READY TO USE; DO NOT DILUTE

STRONGEST FORMULA
AVAILABLE

**MORE THAN
DOUBLE**

THE STRENGTH
OF COMPETITIVE
PRODUCTS



Page 24

B³C

B3C FUEL SOLUTIONS
PHONE: 843. 347. 0482
FAX: (866) 929-7173
B3CFuel.com



For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.






ADVANCED TECHNOLOGY FOR SERVICING DEALERS

1 MIB PRO 2-IN-1+ GASOLINE QUALITY TEST

TEST SWABS
IMMEDIATELY
IDENTIFY BAD
FUEL AND WATER
IN A PASS / FAIL
FORMAT



contains
100
swabs



QUICK PASS OR FAIL TEST SWAB FOR BAD FUEL AND WATER

FEATURES/BENEFITS/APPLICATIONS

- ULTRA-SENSITIVE PASS / FAIL TEST
- TESTS FOR OXIDIZED (STALE) FUEL
- TESTS FOR WATER IN THE FUEL
- KEEPS BAD FUEL OUT OF YOUR EQUIPMENT
- WORKS IN THE PRESENCE OF 2-CYCLE OIL
- ELIMINATES JUDGEMENT CALLS
- 100 COUNT CYLINDER
- THE ONLY IDENTIFICATION SYSTEM OF ITS KIND IN THE INDUSTRY THAT ALLOWS YOU TO QUICKLY TEST & IDENTIFY FUEL RELATED ISSUES.
- THIS UNIQUE SYSTEM ALLOWS YOU TO QUICKLY VERIFY WHETHER AN EQUIPMENT PROBLEM IS RELATED TO FUEL AND THEREFORE NOT WARRANTABLE.
- THIS TEST IS AN ADVANCEMENT OF TESTS THAT HAVE BEEN APPROVED AND USED BY MANY MANUFACTURERS

2 MIB PRO ENGINE QUICK FIX

ADDITIVE TO QUICKLY FIX
FUEL RELATED ENGINE
PROBLEMS



ENGINE QUICK FIX ADDITIVE

FEATURES/BENEFITS/APPLICATIONS

- ENCAPSULATES WATER / REVERSES PHASE SEPARATION
- FIXES ETHANOL ISSUES
- REMOVES WATER
- CLEANS CARBON & VARNISH
- BREAKS DOWN FUEL GUMS AND SHELLAC (CLEANS)
- RESTORES & REJUVENATES RUBBER / PLASTIC COMPONENTS
 - RESTORES (SWELLS) RUBBER THAT HAS SHRUNK UP TO 2% (NO OVER SWELLING)
 - PROPRIETARY LOW MOLECULAR WEIGHT ESTERS
 - STOPS AND REVERSES EMBRITTLEMENT
- INSTANT RESULTS
- BREAKS DOWN HYDROLYSIS OF DETERGENTS IN LUBRICANTS
- PACIFIES ALUMINUM, A CATIONIC PROTECTANT
 - AFFINITY FOR RUBBER AND METAL
- ABILITY TO WICK VERTICALLY (HYDRAULIC WICKING ACTION)
- DRAMATICALLY REDUCES SURFACE TENSION TO 20 DYNES
 - ALLOWS THE FORMULA TO PENETRATE DEEP INTO THE CARBURETOR CIRCUITRY
- 64 OZ
- NEW INJECTION SYSTEM OPTIMIZES DISTRIBUTION OF THE INSTANT FIX SOLUTION, PLACING IT DIRECTLY WHERE IT IS NEEDED (REQUIRES LESS).
- LOCATION PLUS FUNCTION LEADS TO REPAIRS UP TO 80% OF THE TIME FOR FUEL RELATED ISSUES.

3 MIB PRO ULTRASONIC CLEANER

ULTRA-CONCENTRATED,
NATURALLY DERIVED
ULTRASONIC CLEANER
ENGINEERED TO
CLEAN THE TOUGHEST
CONTAMINANTS IN
SMALL ENGINES



makes
6
gallons

ENGINEERED FOR SUPERIOR SMALL ENGINE CLEANING

FEATURES/BENEFITS/APPLICATIONS

- CLEANS TOUGHEST CONTAMINANTS ON ALL METAL AND PLASTIC SURFACES
- ULTRA-CONCENTRATED
- ANTI-EVAPORATION FORMULA
- CHELATING DECARBONIZING AGENTS
- ANTI-CORROSIVE
- ANTI-REDEPOSITION AGENT
- REACHES THE SMALLEST CAVITIES
- SUPERIOR RINSEABILITY
- ENGINEERED FOR SUPERIOR CLEANING
- 1 GALLON
- 50% NATURALLY DERIVED
- BIODEGRADABLE
- WATER BASED
- SOLVENT FREE
- MAKES 6 GALLONS



Naturally
Derived

DISTRIBUTOR / DEALER ITEM NO RETAIL PRICE (MSRP)

Page 25

Advanced Technology for Servicing Dealers

www.B3Cfuel.com 843-347-0482





PART NUMBERS



PRODUCT DESCRIPTION	B3C Item Number	Ounces / Quantity Per Pack	Case Quantity
Grainger #			
Mechanic In A Bottle Gas & Diesel All-Engine Formula - 4oz Bottle (Display Tray)	2-004-12 49U492	4	12
Mechanic In A Bottle Gas & Diesel All-Engine Formula - 8oz Bottle (Display Tray)	2-008-9 49U493	8	9
Mechanic In A Bottle Gas & Diesel All-Engine Formula - 24oz Bottle	2-024-5 49U494	24	5
Mechanic In A Bottle Gas & Diesel All-Engine Formula - 24oz Bottle DISPLAY BOX	PROMO 2-024-9	24	9
Mechanic In A Bottle Gas & Diesel All-Engine Formula - Gallon	2-128-1 49U495	128	1
Mechanic In A Bottle Gas & Diesel All-Engine Formula - 55 Gallon	8-255-1 49U497	7,040	1



MIB Pro Engine Quick Fix GALLON	2-128-1MPQ	128	1
Mechanic in a Bottle PRO Ultra-Concentrated Pressure Washer Detergent & Ultrasonic Cleaner 24 oz	2-024-5MPUP	24	5
MIB Pro Ultrasonic Cleaner 128 oz, Single	2-128-1MPU	128	1
MIB Pro Swabs - 100 ct (single)	7-100-1	100	1
MIB Pro Swabs - 100 ct (case of 9)	7-100-9	100	9



Grainger #			
Ethanol Shield 2oz (Display Tray)	1-002-12C	2	12
Ethanol Shield 4oz (Display Tray)	1-004-12C 49U486	4	12
Ethanol Shield 8oz (Display Tray)	1-008-9C 49U487	8	9
Ethanol Shield 24oz Bottle	1-024-5C 49U488	24	5
Ethanol Shield Gallon	1-128-1 49U489	128	1
Ethanol Shield 55 Gallon	8-155-1C 49U491	7,040	1



NEW			
Ethanol Shield Marine Fuel Stabilizer 24 oz case of 5	1-024-5M	24	5
Ethanol Shield Marine Fuel Stabilizer Gallon	1-128-1M	128	1



Grainger #			
Fuel Life 18 g (5 pack pouch)	6-022-8	N/A	8
Fuel Life 100 Gram Single	6-100-12 252M86	N/A	12



Diesel Tank Snake 2 Foot / 2" Diameter Yellow INSTANT	6-024-1IN	1	1
Diesel Tank Snake 4 Foot / 2" Diameter Yellow INSTANT	6-048-1IN	1	1

Diesel Tank Snake 2 Foot / 1" Diameter RED STORAGE	6-024-1-XT	1	1
--	------------	---	---

Grainger #			
Diesel Tank Snake 1 Foot / 2" Diameter Black STORAGE	6-012-1-X 49U508	1	1
Diesel Tank Snake 3 Foot / 2" Diameter Black STORAGE	6-036-1-X	1	1
Diesel Tank Snake 5 Foot / 2" Diameter Black STORAGE	6-060-1-X 49U512	1	1

Diesel Tank Snake 1.5 Foot / 2.5" Diameter white HEAVY DUTY STORAGE	6-018-1-XD	1	1
---	------------	---	---

LARGER CUSTOM SIZES AVAILABLE - PLEASE CALL FOR QUOTE



DRYZOIL Molecular Water Absorber dries oil on machine / in TANK SMALL SIZED EQUIPMENT TANKS (approx. size 7" long / 1" Diameter)	DZ-07-SS	1	1
DRYZOIL Molecular Water Absorber dries oil on machine / in TANK MEDIUM SIZED EQUIPMENT TANKS (approx. size 12" long / 1" Diameter)	DZ-12-MS	1	1
DRYZOIL Molecular Water Absorber dries oil on machine / in TANK LARGE SIZED EQUIPMENT TANKS (approx. size 36" long / 2" Diameter)	DZ-36-LS	1	1
DRYZOIL Molecular Water Absorber dries oil in STORAGE Dries OIL & HEADSPACE in 55 GALLON DRUMS	DZ-24-DF	1	1
DRYZOIL Molecular Water Absorber dries oil in STORAGE Dries OIL & HEADSPACE in 275+ GALLON DRUMS	DZ-24-TF	1	1

DRYZOIL UNITS INCLUDE TETHER FOR EASY RETRIEVAL



PART NUMBERS

PRODUCT DESCRIPTION		B3C Item Number	Ounces / Quantity Per Pack	Case Quantity
NEW BLADE & CHAIN SHIELD PENETRATING LUBRICANT & CLEANER	 Mechanic in a Bottle Blade & Chain Shield Penetrating Lubricant & Cleaner Squeeze Bottle w/ yorker cap, 8 oz (Case of 9)	13-008-9Y	8	9
	 Mechanic in a Bottle All-Purpose Penetrating Lubricant Thin Sprayable Formula - Gallon (Sprayer/hose available separately - see below) NEW LOW PRICE! LOWER THAN WD**!	13-128-1SP (GR # 389WA8)	128	1
<i>MIB Blade & Chain Lubricant & Sprayable Formula (all sizes) has no additional discounts</i>				
NEW HYDRAULIC OIL FIX AND STABILIZER	 Hydraulic Oil Fix 24 oz Case of 5	21-024-5 (GR # 389WA9)	24	5
	Hydraulic Oil Fix 1 Gallon	21-128-1 (GR #389WC0)	128	1
<i>Hydraulic Oil Fix (all sizes) has no additional discounts</i>				
NEW PRESSURE WASHER PUMP SAVER AND WINTERIZER	 Mechanic In A Bottle Pump Protector & Winterizer 8 oz	2-008-6PP (GR # 389WC1)	8	6
NEW BAR & CHAIN LUBRICANT HIGH TACK FORMULA	 Mechanic In A Bottle Plant-Based Biodegradable Bar & Chain Lubricant - 24 oz case of 5	20-024-5MB (GR # 389WC2)	24	5
	Mechanic In A Bottle Plant-Based Biodegradable Bar & Chain Lubricant - Gallon case of 4	20-128-4MB (GR # 389WC3)	128	4
NEW FRICITION FIX OIL & HYDRAULIC TREATMENT	 Mechanic In A Bottle Friction Fix - Oil & Hydraulic Treatment 16 oz	17-016-1	16	1
	Mechanic In A Bottle Friction Fix - Oil & Hydraulic Treatment 16 oz Case of 6	17-016-6	16	6



PART NUMBERS

PRODUCT DESCRIPTION

B3C Item
Number

Ounces /
Quantity
Per Pack Case
Quantity

NEW



Mulch Stay 1 Gallon - Single	14-128-1	128	1
Mulch Stay 1 Gallon (case of 4) - Discounted Cost for case purchase	14-128-4	128	4
Mulch Stay 55 Gallon Drum	14-055-1	7,040	1
Mulch Stay 275 Gallon Tote	14-275-1	35,200	1



Oil Lock (1.7 lb bag) with Hydrocarbon Test Strips (10 ct)	7-025-1	N/A	1
--	---------	-----	---



Hydrocarbon Test Strips (10 ct)	7-041-1	10	1
----------------------------------	---------	----	---

GASOLINE

MIB GAS DUAL Test Swabs 3 Pack (Consumer) RETAIL	7-903-12 (GR # 45GU46)	3	12
MIB Pro Swabs - 100 ct (case of 9)	7-100-9 (GR #45GU45)	100	9

DIESEL

DEF Contamination Test (100 count) Case 9	7-040-9	N/A	9
Diesel MIB 4 N 1 Fuel Quality Test (10 pack with extended Swab) RETAIL	7-014-12 (GR # 49U516)	N/A	12

