

MULTI-PURPOSE BALLISTIC PANEL



Our new Multi-Purpose Ballistic Panel adds function and blends into any environment.



AVAILABLE THROUGH

GRAINGER

FOR THE ONES WHO GET IT DONE

FEATURES

Acoustic Surface: This fabric surface is sound absorbing and tackable. It also has earned a Class A fire rating and meets ASTM E84 standards.

Ballistic: The product meets the performance levels of UL 752 level 3 and NIJ standard 0108.01 type III-A. The ballistic core will not degrade.

Magnetic/Dry Erase: Our Magnetic/Dry Erase surface will not peel or flake off, is easy to clean and offers many years of worry free use.

Total Lock Swivel Casters : Easy to use total lock Swivel Casters will keep the divider in place for as long as needed.




Steel Bases & Gusset Plates: Full 1/4" Steel Bases & Gusset Plates are used to ensure a strong and stable divider.



CBRD1-DX/WM
Grainger #812FW8

CBRD1-WM
Grainger #812FW9




PRODUCT INFORMATION

Panel Surface Combinations



Magnetic Dry Erase/
Tackable Charcoal
Black (DX) Fabric



Magnetic Dry Erase
Both Sides

Height 6'-6"	BLACK TACKABLE FABRIC/MAGNETIC DRY ERASE	MAGNETIC DRY ERASE BOTH SIDES
	CBRD1-DX/WM Grainger #812FW8	CBRD1-WM Grainger #812FW9
Width 4'-0"		



MULTI-PURPOSE BALLISTIC PANEL

LIMITED WARRANTY AND DISCLAIMER

Screenflex Portable Partitions Inc. ("Screenflex") warrants to the purchaser for three (3) years from the date of shipment that the Multi-Purpose Ballistic Panel (the "Product") is free of defects in materials and workmanship. EXCEPT FOR THE FOREGOING LIMITED WARRANTY, SCREENFLEX MAKES NO OTHER WARRANTY WHATSOEVER WITH RESPECT TO THE PRODUCT, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

The Product has been tested in certified laboratory conditions in accordance with the standards set by Underwriters Laboratories ("UL") and the National Institute of Justice ("NIJ") for ballistic resistant protective materials. The Product meets the performance levels of UL 752 Level 3 and NIJ Standard 0108.01 Type III-A:

UL 752 Level 3:

Ammunition	Weight (grams)	Minimum Velocity (ft/sec)	Number of Shots
.44 Magnum Lead Semi-Wadcutter Gas Checked	240	1350	3

NIJ Standard 0108.01 Type III-A:

Ammunition	Weight (grams)	Minimum Velocity (ft/sec)	Number of Shots
.44 Magnum Lead Semi-Wadcutter Gas Checked	240	1350	5
9 mm Full Metal Jacket	124	1350	5

The Product will offer ballistic protection at these levels and at lower levels (UL 752 Levels 1 and 2; NIJ Standard 0108.01 Types I, II-A and II). The Product cannot and will not protect against higher-power weapons or ammunition. Ballistic protection can never be 100% guaranteed – the Product is "bullet resistant," not "bullet proof." **WHILE THE PRODUCT MEETS THE PERFORMANCE LEVELS OF UL 752 LEVEL 3 AND NIJ STANDARD 0108.01 TYPE III-A, SCREENFLEX SHALL IN NO EVENT BE LIABLE FOR ANY PERSONAL INJURIES (INCLUDING DEATH) SUSTAINED BY PERSONS USING THE PRODUCT.**

IN NO EVENT SHALL SCREENFLEX BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES WHETHER ARISING OUT OF BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, REGARDLESS OF WHETHER SUCH DAMAGES WERE FORESEEABLE AND WHETHER OR NOT SCREENFLEX HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

MULTI-PURPOSE BALLISTIC PANEL



AVAILABLE THROUGH

GRAINGER
FOR THE ONES WHO GET IT DONE

585 CAPITAL DRIVE
LAKE ZURICH, IL 60047

dealerSF.com/ballistic
800-553-0110