


COOL AIR ANYWHERE

About Us: Air Movement Leaders

- Mobile Evap Coolers
- Industrial Exhaust Fans
- Industrial Air Circulators
- Fixed Evap Coolers
- Mini Split AC



COOL AIR ANYWHERE

Holly Pond, AL *Est 1996*

Engineering

- 30,000 cfm airflow test chamber
- Air movement design teams

Manufacturing

- Propellers for OEMs
- Fan assemblies

Quality

- Meets highest standards set by industry leading OEM's


Distribution

- All air movement products

Houston / Phoenix / Stockton

Distribution - mobile & fixed evaporative coolers, mini-splits, media pads, all service parts.

Distribution Map



COOL AIR ANYWHERE

Heat Stress Relief Line Up

Mobile Evaporative Coolers

High Velocity Air Circulators (MVP Series)

Industrial Air Circulators

COOL AIR ANYWHERE

Mobile Evaporative Coolers



Mobile Cooler Advantages

- **Reduces Heat Stress:** Highest Velocities & Cooling Effect
- High Density Cooling Pads(most surface area): Highest Cooling Efficiencies
- Price & Availability
- Extremely Portable, Lightweight
- Air Sweep Function For Max. Coverage
- Adjustable Up & Down Louvers: Most Models
- Low Amp Draw For Use On Any 115v Circuit
- Simple, Easy To Use Controls
- Extremely Quiet Operation
- Convenient Storage Top: Beverages, First Aid Products, Tools

Air Velocity @ Face

MC18: 535 FPM

M150: 1055 FPM

M250/M270: 1305 FPM

MC92/M350: 1180 FPM

COOL AIR ANYWHERE

Mobile Cooler Uses: Anywhere

- Rehab / Cool Down Areas
- Assembly Areas
- Dock Areas
- Packaging Areas
- All Warehouse Areas
- Break Areas: Indoors & Outdoors
- All Outdoor Events
- Maintenance Areas / Fleet Repair Centers
- Compact Design Does Not Block View Or Obstruct Work Areas
- Small Footprint Allows Cooler Movement Through Narrow Doors, Aisles
- Heavy Weight Rated Casters Allow For Easy Movement
- Manual Water Fill Option Eliminates Obstructive Hose Hook UP



COOL AIR ANYWHERE


New For 2025

High Velocity Air Circulators: MVP Series



COOL AIR ANYWHERE

Hessaire MVP Fan Advantages



- Highest Velocities In Industry
- Extreme Distance Air Throw
- Extremely Quiet Operation
- Rugged Polypropylene Construction – Impact Resistant
- Corrosion Resistant Housing
- Portable (wheels on 38VB3)
- Air Sweep Function (38VB3)
- Adjustable Up & Down Louvers
- Low Amp Draws
- Simple, Easy To Use Controls

COOL AIR ANYWHERE

MVP Fan Uses: Anywhere

- Anywhere Industrial Air Circulators Are Used
- Rehab / Cool Down Areas
- Assembly Areas / Manufacturing Facilities
- Dock Areas
- Packaging Areas
- All Warehouse Areas
- Break Areas: Indoors & Outdoors
- Maintenance Areas / Fleet Repair Centers



COOL AIR ANYWHERE

New For 2025


Heavy Duty Air Circulators



COOL AIR ANYWHERE

Hessaire MVP Fan Advantages

- Long Distance Air Throw
- High CFMs
- 2 Speed Pull Chain Switch
- Ball Bearing Motors
- Polyester Powder Coated Corrosion Resistant Guards
- Aluminum Balanced Props
- Safety Yellow Color
- Oscillating Models Available
- Wall Mount & Pedestal Mount Options



COOL AIR ANYWHERE

Product Specifications


COOL AIR ANYWHERE

Cooler Line Up

Model: M90

Grainger SKU: 822GM8

Personal spaces, shipping desks



Item # / Mfr. Model	822GM8 / M90	Description:	High velocity cooling fan
Max. Air Flow	900 CFM	Feature #1	Easy access ice fill
Area Coverage	300 Sq.Ft.	Feature #2	Up / Down Adjustable Grill
Electrical Consumption	.45 Amps, 55 watts	Feature #3	Convenient carry handle
Voltage / Plug Type	115 / 5-15P	Tank Capacity	2.8 Gal.
Speeds	2	Run Time Per Tank	2-3 hours
Control Type	Rotary Switch	Assembled Weight	16 lbs
Decibels @ 10ft	48.5	Assembled Dims.	16"x10"x21"
Housing Material	Polypropylene	Color	Safety Yellow / Gray

COOL AIR ANYWHERE

Cooler Line Up

New For 2025

Model: DC18

Grainger SKU: 848G45

Battery powered – take anywhere



Item # / Mfr. Model	848G45 / DC18	Description:	High velocity cooling fan
Max. Air Flow	900 CFM	Feature #1	Easy access ice fill
Area Coverage	300 Sq.Ft.	Feature #2	Up / Down Adjustable Grill
Electrical Consumption	40 watts	Feature #3	Convenient carry handle
Voltage / Plug Type	18-20V DC, 115V AC	Tank Capacity	4.8 Gal.
Speeds	Variable	Run Time Per Tank	2-3 hours
Control Type	Rotary Switch	Assembled Weight	16 lbs
Decibels @ 10ft	47.5	Assembled Dims.	16"x10"x21"
Housing Material	Polypropylene	Color	Red / Dark Gray

COOL AIR ANYWHERE

Cooler Line Up

New For 2025

Model: M100B

Grainger SKU: 848G46

Personal spaces, shipping desks



Item # / Mfr. Model	848G46 / M100B	Description:	High velocity cooling fan
Max. Air Flow	1300 CFM	Feature #1	Easy access ice fill
Area Coverage	500 Sq.Ft.	Feature #2	Up / Down Adjustable Grill
Electrical Consumption	.7 Amps, 85 watts	Feature #3	Easy rolling casters
Voltage / Plug Type	115 / 5-15P	Tank Capacity	4.8 Gal.
Speeds	2	Run Time Per Tank	2-3 hours
Control Type	Rotary Switch	Assembled Weight	16 lbs
Decibels @ 10ft	53.4	Assembled Dims.	20"x10"x28"
Housing Material	Polypropylene	Color	Blue / Gray

COOL AIR ANYWHERE

Cooler Line Up

Model: MC18V

Grainger SKU: 787TN0

Personal spaces, shipping desks



Item # / Mfr. Model	787TN0 / MC18V	Description:	High velocity cooling fan
Max. Air Flow	1300 CFM	Feature #1	Adjustable up & down louvers
Area Coverage	500 Sq.Ft.	Feature #2	Convenient carry handle
Electrical Consumption	.7 Amps, 85 watts	Feature #3	Easy rolling casters
Voltage / Plug Type	115 / 5-15P	Tank Capacity	4.8 Gal.
Speeds	2	Run Time Per Tank	2-3 hours
Control Type	Rotary Switch	Assembled Weight	16 lbs
Decibels @ 10ft	53.4	Assembled Dims.	20"x10"x28"
Housing Material	ABS Plastic	Color	Earth Green / Gray

COOL AIR ANYWHERE

Cooler Line Up

Model: M150

Grainger SKU: 55JR28

Workstations, break areas



Item # / Mfr. Model	55JR28 / M150	Description:	High velocity cooling fan
Max. Air Flow	3100 CFM	Feature #1	Safety Hi Vis Green Trim
Area Coverage	950 Sq.Ft.	Feature #2	Adjustable up & down louvers
Electrical Consumption	2.4 Amps, 250 watts	Feature #3	Side To Side Air Sweep
Voltage / Plug Type	115 / 5-15P	Tank Capacity	10.3 Gal.
Speeds	3	Run Time Per Tank	Approx. 3 hours
Control Type	Rotary Switch	Assembled Weight	40 lbs
Decibels @ 10ft	59	Assembled Dims.	24"x16"x38"
Housing Material	Polypropylene	Color	Hi Vis Green / Gray

COOL AIR ANYWHERE

Cooler Line Up

Model: M250

Grainger SKU: 55JR29

Work areas, warehouses, docks



Item # / Mfr. Model	55JR29 / M250	Description:	High velocity cooling fan
Max. Air Flow	5300 CFM	Feature #1	Safety Hi Vis Yellow Trim
Area Coverage	1600 Sq.Ft.	Feature #2	Adjustable up & down louvers
Electrical Consumption	4.3 Amps, 430 watts	Feature #3	Side To Side Air Sweep
Voltage / Plug Type	115 / 5-15P	Tank Capacity	14.6 Gal.
Speeds	3	Run Time Per Tank	Approx. 3 hours
Control Type	Rotary Switch	Assembled Weight	57 lbs
Decibels @ 10ft	62.5	Assembled Dims.	28"x17"x45"
Housing Material	Polypropylene	Color	Safety Yellow / Gray

COOL AIR ANYWHERE

Cooler Line Up

Model: M270R

Grainger SKU: 813NU7

Warehouses, work areas, docks



Item # / Mfr. Model	813NU7 / M270R	Description:	High velocity cooling fan
Max. Air Flow	5300 CFM	Feature #1	Top Storage Compartment
Area Coverage	1600 Sq.Ft.	Feature #2	Heavy Duty Casters, Handle
Electrical Consumption	4.3 Amps, 430 watts	Feature #3	Adjustable Louvers, Air Sweep
Voltage / Plug Type	115 / 5-15P	Tank Capacity	14.6 Gal.
Speeds	3	Run Time Per Tank	Approx. 3 hours
Control Type	Rotary Switch	Assembled Weight	58 lbs
Decibels @ 10ft	62.5	Assembled Dims.	28"x17"x46"
Housing Material	Polypropylene	Color	Firebrick Red, Black Trim

COOL AIR ANYWHERE

Cooler Line Up

Model: MC92V

Grainger SKU: 55JR30

Warehouses, larger work areas, docks



Item # / Mfr. Model	55JR30 / MC92V	Description:	High velocity cooling fan
Max. Air Flow	11000 CFM	Feature #1	Adjustable Up & Down Louvers
Area Coverage	3000 Sq.Ft.	Feature #2	Air Sweep Function
Electrical Consumption	5.8 Amps, 460 watts	Feature #3	High Airflow Output
Voltage / Plug Type	115 / 5-15P	Tank Capacity	32.8 Gal.
Speeds	3	Run Time Per Tank	Approx. 3 hours
Control Type	Rotary Switch	Assembled Weight	126 lbs
Decibels @ 10ft	63.4	Assembled Dims.	46"x26"x59"
Housing Material	Polypropylene	Color	Industrial Gray

COOL AIR ANYWHERE

Cooler Parts / Accessories

Protective Covers: Item # / Mfr. Model	Fits Models:
788EP1 / CVR6018	787TN0 / MC18V
788EP2 / CVR6037	55JR28 / M150
788EP3 / CVR6061	55JR29 / M250
788EP4 / CVR6091	55JR30 / MC92V
788EP4 / CVR6091	798AC4 / M350

Replacement Media Pads: Item # / Mfr. Model	Fits Models:
788EP5 / CP150	787TN0 / MC18V
788EP6 / CP370	55JR28 / M150
788EP7 / CP610	55JR29 / M250, M270R
788EP8 / CP900	55JR30 / MC92V
788EP8 / CP900	798AC4 / M350

Replacement Pumps: Item # / Mfr. Model	Fits Models:
788EN7 / 6017050	787TN0 / MC18V
788EN8 / 6036050	55JR28 / M150
788EP9 / 6060050	55JR29 / M250, M270R
788EP0 / 6091050	55JR30 / MC92V
788EP0 / 6091050	798AC4 / M350



AVAILABLE THROUGH

GRAINGER
FOR THE ONES WHO GET IT DONE



COOL AIR ANYWHERE

New For 2025

Model: 38VB3

Grainger SKU: 848G47

Warehouses, work areas, docks, fleet repair

MVP Fan Line Up



Item # / Mfr. Model	848G47 / 38VB3	Description:	High velocity air circulator
Max. Air Flow	11500 CFM	Feature #1	Adjustable Up & Down Louvers
Area Coverage	3000 Sq.Ft.	Feature #2	Air Sweep Function
Electrical Consumption	5.3 Amps, 460 watts	Feature #3	High Airflow Output
Voltage / Plug Type	115 / 5-15P	Assembled Weight	105 lbs
Speeds	3	Assembled Dims.	39"x15"x42H"
Control Type	Rotary Switch	Color	Industrial Gray / Yellow Trim
Decibels @ 10ft	63.4		
Housing Material	Polypropylene		

COOL AIR ANYWHERE

New For 2025

Model: 21VB3

Grainger SKU: Onboarding


Warehouses, work areas, docks

MVP Fan Line Up



Item # / Mfr. Model	TBD / 21VB3	Description:	High velocity air circulator
Max. Air Flow	5100 CFM	Feature #1	Tiltable Up Or Down
Area Coverage	N/A	Feature #2	Carry Handle
Electrical Consumption	2.4 Amps, 250 watts	Feature #3	High Airflow Output
Voltage / Plug Type	115 / 5-15P	Assembled Weight	35 lbs
Speeds	3	Assembled Dims.	21"x12"x23H"
Control Type	Rotary Switch	Color	Industrial Gray / Red Trim
Decibels @ 10ft	62.3		
Housing Material	Polypropylene		

COOL AIR ANYWHERE



Heavy Duty Air Circulators

Warehouses, work areas, docks

Grainger SKU:	Hessaire Model #	Prop Dia.	HP	Volts	High Amps	High CFM	Spd	Guard Color	Mount Type
848G38	24R6B2	24"	1/3	115	3.5	6450	2	Black	Fan Only
848G37	24R6Y2	24"	1/3	115	3.5	6450	2	Yellow	Fan Only
848G40	30R6B2	30"	1/2	115	5.3	8710	2	Black	Fan Only
848G39	30R6Y2	30"	1/2	115	5.3	8710	2	Yellow	Fan Only
848G41	36R8Y2	36"	1/2	115	4.28	12450	2	Yellow	Fan Only
848G24	24PY2	24"	1/3	115	3.5	6450	2	Yellow	Pedestal
848G25	24WY2	24"	1/3	115	3.5	6450	2	Yellow	Wall
848G26	30PY2	30"	1/2	115	5.3	8710	2	Yellow	Pedestal
848G27	30WY2	30"	1/2	115	5.3	8710	2	Yellow	Wall
848G28	36PY2	36"	1/2	115	4.28	12450	2	Yellow	Pedestal
848G29	36WY2	36"	1/2	115	4.28	12450	2	Yellow	Wall

AVAILABLE THROUGH

GRAINGER
FOR THE ONES WHO GET IT DONE



COOL AIR ANYWHERE

Hessaire Coolers VS:

Fan Type	>> Low To High >>					Focused Air Throw	Wide Air Throw	Air Sweep	Portable	Evap Cooling Boost	Pad Filters
	Cooling Efficiencies	Velocity	Noise Level	Cost	Electrical (Amp Draw)						
Hessaire Mobile Evap Coolers						Yes	Yes	Yes	Yes	Yes	Yes
Barrel Fans (Floor Models)						No	Yes	No	Yes	No	No
High Velocity Barrel Wall Fans						Yes	No	No	No	No	No
Fixed Mount Wall Circ Fan						Yes	No	By Model	No	No	No
Pedestal Floor Fans						Yes	No	By Model	By Model	No	No
Large HVLS Fans (Big Ass)						No	Yes	No	No	No	No
Misting Fans (Power Breezer)						Yes	Yes	Yes	Yes	Misting (wetting)	No
Other Mobile Evap Coolers: Portacool, Ultracool, Waycool						By Model	By Model	By Model	By Model	Yes	Yes



COOL AIR ANYWHERE

Thank You

Office Phone: 256.734.3003

www.hessaire.com

