



FIRE TOOLS



AVAILABLE THROUGH

GRAINGER

FOR THE ONES WHO GET IT DONE

PIKE POLES

Heavy-Duty Classic Nuplaglas®

Nuplaglas handles have been the standard of the industry for over 60 years. Heavy-Duty Industrial strength is achieved by combining thousands of strands of fiberglass encased in a proprietary resin.

Slightly heavier than aluminum, Nupla handles are resistant to moisture and harmful chemicals. Chemically bonded hardened steel heads, exceed over 3,000 lbs. of pull force before becoming dislodged! Nupla Pike Poles carry a lifetime guarantee.



GRAINGER PART NO.	PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
	36103	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-3)	3'	D	1	5.3 lb
	36122	Classic Nuplaglas Pike Pole, Round w/ grip, head on same plane (YPDH-S3)	3'	D	1	5.3 lb
485C51	36204	Classic Nuplaglas Pike Pole, Round (YPD-4)	4'	-	1	5.7 lb
485C46	36104	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4)	4'	D	1	7.2 lb
	36124	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4A)	4'	Aluminum D	1	8.7 lb
2LTA3	36206	Classic Nuplaglas Pike Pole, Round (YPD-6)	6'	-	1	6.5 lb
	36205	Classic Nuplaglas Pike Pole, Round w/ monoprene sleeve (YPD-6M)	6'	-	1	6.75 lb
2LTA4	36106	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6)	6'	D	1	8 lb
	36126	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6A)	6'	Aluminum D	1	9.5 lb
2LTA5	36208	Classic Nuplaglas Pike Pole, Round (YPD-8)	8'	-	1	7.3 lb
	36108	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8)	8'	D	1	8.8 lb
	36128	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8A)	8'	Aluminum D	1	10.3 lb
	36210	Classic Nuplaglas Pike Pole, Round (YPD-10)	10'	-	1	8.1 lb
	36110	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-10)	10'	D	1	9.6 lb
	36212	Classic Nuplaglas Pike Pole, Round (YPD-12)	12'	-	1	8.9 lb
485C55	36214	Classic Nuplaglas Pike Pole, Round (YPD-14)	14'	-	1	9.7 lb
	36216	Classic Nuplaglas Pike Pole, Round (YPD-16)	16'	-	1	10.5 lb
	36220	Classic Nuplaglas Pike Pole, Round (YPD-20)	20'	-	1	12.1 lb

Super-Duty I-Beam

I-Beam construction is stronger than your standard fiberglass handles for superior performance and longevity.


GRAINGER PART NO.	PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
485C38	35042	Super-Duty I-Beam Pike Pole w/ grip (SPDH-4)	4'	D	1	7.3 lb
20Y337	35060	Super-Duty I-Beam Pike Pole (SPD-6)	6'	-	1	7.5 lb
	35061	Super-Duty I-Beam Pike Pole w/ grip (SPDH-6)	6'	D	1	8.75 lb
485C40	35080	Super-Duty I-Beam Pike Pole (SPD-8)	8'	-	1	9.2 lb
485C41	35100	Super-Duty I-Beam Pike Pole (SPD-10)	10'	-	1	10.9 lb
485C42	35120	Super-Duty I-Beam Pike Pole (SPD-12)	12'	-	1	12.6 lb

Pike Pole Components

GRAINGER PART NO.	PART NO.	DESCRIPTION	STD. PACK	STD. PACK WEIGHT
	35000	Super-Duty Pike Pole Head, 1.5" (PP150)	2	2 lb



PIKE POLE COMPONENTS



ROOF & CEILING HOOKS

FIRE

ROOF VENTILATION/ TRASH HOOK



CEILING WALL HOOK



GRAINGER PART NO.	PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
	36553	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-4D)	4'	D	1	8.7 lb
485C65	36551	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-5D)	5'	D	1	7.6 lb
	36565	Classic Nuplaglas Roof Ventilation Pole, Round (RH-6S)	6'	-	1	8 lb
	36560	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-6D)	6'	D	1	9.5 lb
35Z436	36561	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-6DA)	6'	Aluminum D	1	9.5 lb
485C66	36564	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-8DA)	8'	Aluminum D	1	10.3 lb
	36570	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-10D)	10'	D	1	11.1 lb
	35616	Classic Nuplaglas Ceiling Hook Pole, Round (CWH-4YD)	4'	D	1	5.5 lb
	35256	Classic Nuplaglas Ceiling Hook Pole, Round (CWH-6YD)	6'	D	1	6 lb
	35254	Classic Nuplaglas Ceiling Hook Pole, Round (CWH-6YDA)	6'	Aluminum D	1	6 lb
	35466	Super-Duty Ceiling Hook I-Beam Pole (CWH-4SD)	4'	D	1	6.5 lb



AVAILABLE THROUGH

GRAINGER®
FOR THE ONES WHO GET IT DONE

SPECIALTY PIKE POLES

Nupla offers the 2 piece Pike Pole system resulting in increased flexibility and adaptability to interchange between Standard Pike Pole Tip or RoofVent/Trash Hook.

8' and 10' total lengths available.

TWO-PIECE PIKE POLE KITS

- All two-piece pike pole kits come with (1) handle section, (1) pike/hook section and an assembly kit



PART NO.	DESCRIPTION	SECTION LENGTH		TOTAL LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
		HANDLE	PIKE/HOOK				
36750	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	3'	8'	Butt	1	8.3 lb
36751	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	5'	10'	Butt	1	9.1 lb
36753	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	3'	8'	D	1	9.8 lb
36754	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	5'	10'	D	1	10.6 lb
36759	2-Piece Classic Nuplaglas Roof Vent/Trash Hook Pole, Round w/ grip	5'	3'	8'	Butt	1	9.8 lb
36760	2-Piece Classic Nuplaglas Roof Vent/Trash Hook Pole, Round w/ grip	5'	5'	10'	Butt	1	10.6 lb
36762	2-Piece Classic Nuplaglas Roof Vent/Trash Hook Pole, Round w/ grip	5'	3'	8'	D	1	11.3 lb
36763	2-Piece Classic Nuplaglas Roof Vent/Trash Hook Pole, Round w/ grip	5'	5'	10'	D	1	12.1 lb



AVAILABLE THROUGH

GRAINGER®
 FOR THE ONES WHO GET IT DONE

SPECIALTY PIKE POLES

FIRE

NuPole™ Fire System



**FIRE SWATTER
HEAD**

PIKE HEAD

**VENTILATION
HOOK HEAD**

GRAINGER PART NO.	PART NO.	DESCRIPTION	LENGTH	HEAD TYPE OR GRIP STYLE	STD. PACK	STD. PACK WEIGHT
20Y320	36625	NuPole Fire System - Classic Nuplaglas Pole, Round (E-YPD)	3'	Pike Head	1	4 lb
	36626	NuPole Fire System - Classic Nuplaglas Pole, Round (E-RH)	3'	Ventilation Hook Head	1	5.75 lb
	36633	NuPole Fire System - Classic Nuplaglas Pole, Round (E-CWH)	3'	Ceiling/Wall Hook Head	1	4 lb
	36634	NuPole Fire System - Classic Nuplaglas Pole, Round (E-SFR)	3'	Fire Rake Head	1	3.5 lb
20Y324	36635	NuPole Fire System - Classic Nuplaglas Pole, Round (E-FHR)	3'	U.S. Forest Service "McLeod" Hoe/Rake Head	1	5 lb
	36636	NuPole Fire System - Classic Nuplaglas Pole, Round (E-FSW)	3'	Fire Swatter	1	4.5 lb
20Y326	36620	NuPole Fire System - Classic Nuplaglas Pole, Round (E-BG)	3'	Butt Grip End	1	3 lb
	36639	NuPole Fire System - Classic Nuplaglas Pole, Round (E-BG-6)	6'	Butt Grip End	1	1.8 lb
	36621	NuPole Fire System - Classic Nuplaglas Pole, Round (E-SDG)	3'	Steel D Grip End	1	3.75 lb
20Y329	36622	NuPole Fire System - Classic Nuplaglas Pole, Round (E-ADG)	3'	Aluminum D Grip End	1	3.75 lb
	36602	NuPole Fire System - Classic Nuplaglas Pole, Round (E-2)	2'	Extension	1	2.15 lb
	36603	NuPole Fire System - Classic Nuplaglas Pole, Round (E-3)	3'	Extension	1	2.75 lb
	36604	NuPole Fire System - Classic Nuplaglas Pole, Round (E-4)	4'	Extension	1	3.2 lb



AVAILABLE THROUGH

GRAINGER®
FOR THE ONES WHO GET IT DONE

Ergo-Power®, Classic Nuplaglas® & Hickory

Ergo-Power handles available that combine a solid fiberglass core handle with an injected molded polypropylene outside to protect handles from overstrike. Ribbed grips provide secure gripping with gloved hands.

Nuplaglas handles have been the standard of the industry for over 60 years. Heavy-Duty Industrial strength is achieved by combining thousands of strands of fiberglass encased in a proprietary resin.



GRAINGER PART NO.	PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
	33661	Ergo-Power Flat Head Axe (FP-6LESG)	6 lb	36"	SG	2	17 lb
485C26	31661	Ergo-Power Pick Head Axe (AP-L6ESG)	6 lb	36"	SG	2	17 lb
	31686	Ergo-Power Pick Head Axe, Slim Line Handle (APC 6E-32)	6 lb	32"	Single Bit	2	17 lb
	31687	Ergo-Power Pick Head Axe, Slim Line Handle (APC 6E-36)	6 lb	36"	Single Bit	2	17 lb
	31688	Ergo-Power Flat Head Axe, Slim Line Handle (FPC 6E)	6 lb	36"	Single Bit	2	17 lb
	31063	Classic Nuplaglas Pick Head Axe (AP-6-32)	6 lb	32"	Single Bit	2	16.75 lb
	31060	Classic Nuplaglas Pick Head Axe (AP-6-36)	6 lb	36"	Single Bit	2	17 lb
20Y319	33060	Classic Nuplaglas Flat Head Axe (FP-6)	6 lb	36"	Single Bit	2	17 lb
	06205	Hickory Pick Head Axe (APW-6-28)	6 lb	28"	-	2	13.5 lb
	06206	Hickory Pick Head Axe (APW-6-32)	6 lb	32"	-	2	13.8 lb
20Y313	06207	Hickory Pick Head Axe (APW-6-36)	6 lb	36"	-	2	14 lb
	06210	Hickory Flat Head Axe (FPW-6-28)	6 lb	28"	-	2	13.5 lb
20Y315	06211	Hickory Flat Head Axe (FPW-6-32)	6 lb	32"	-	2	13.8 lb
	06212	Hickory Flat Head Axe (FPW-6-36)	6 lb	36"	-	2	14 lb



AVAILABLE THROUGH

GRAINGER®
 |||| FOR THE ONES WHO GET IT DONE

HALLIGAN TOOLS

Halligan Tools are non-conductive Nuplaglas handles and are 35% lighter than comparable metal versions. The ends are manufactured from nickel-plated steel to prevent rust. Halligan Tools offer a ribbed polypropylene jacket for a non-slip grip.



GRAINGER PART NO.	PART NO.	DESCRIPTION	NOMINAL WEIGHT	LENGTH	STD. PACK	STD. PACK WEIGHT
	33803	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	8.4 lb	24"	1	9.8 lb
20Y339	33800	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	8.8 lb	30"	1	10.6 lb
	33801	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	9.4 lb	36"	1	10.8 lb
20Y341	33802	Halligan/Axe Marrying Strap, Velcro (Fits 24" and 30")	0.33 lb	18"	4	2 lb
485C36	34026	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Black (Police/Swat)	8.8 lb	30"	1	10.6 lb



AVAILABLE THROUGH

GRAINGER®
 FOR THE ONES WHO GET IT DONE

HALLIGAN & WILDLAND TOOLS

Ergo-Power handles available on Pulaski Axes that combine a solid fiberglass core handle with an injected molded polypropylene outside to protect handles from overstrike. Ribbed grips provide secure gripping with gloved hands. Nuplaglas handles available on Pulaski Axes have been the standard of the industry for over 60 years. Heavy-Duty Industrial strength is achieved by combining thousands of strands of fiberglass encased in a proprietary resin. Pulaski Axes offer the versatility of a combination of cutting with grubbing/hoe on the other end. McLeod Fire Tool combines a rake on one end and cutting edge on the other for multiple applications.



GRAINGER PART NO.	PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
	31775	Ergo-Power Pulaski Axe (PA375-ECS)	3.5 lb	32"	CS	2	17 lb
1THA4	31676	Ergo-Power Pulaski Axe (PA375-LESG)	3.5 lb	36"	SG	2	17 lb
9NWD5	31776	Ergo-Power Pulaski Axe (PA375-LECS)	3.5 lb	36"	CS	2	17 lb
20Y318	31375	Classic Nuplaglas Pulaski Axe (PA375-36)	3.5 lb	36"	Double Bit	2	13 lb
	06202	Hickory Pulaski Axe (PAW375-36)	3.5 lb	36"	-	2	8.2 lb
2LTC2	69216	Classic Nuplaglas U.S. Forest Service "McLeod" Fire Tool (FHR-48)	-	48"	Butt	1	15 lb
2LTC4	69214	Classic Nuplaglas Fire Rake (SFR-4)	-	60"	Butt	1	5 lb
2LTC3	69215	Classic Nuplaglas Fire Swatter (FSW-15)	-	60"	Butt	6	30 lb



AVAILABLE THROUGH

GRAINGER®
 ||||| FOR THE ONES WHO GET IT DONE

GRAINGER PART NO.	PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
1THA7	24551	Ergo-Power Cutter Mattock (CM-5H-ESG)	5 lb	36"	SG	1	9 lb
	33140	Classic Nuplaglas Bush Hook, Double Edge (BHD-10)	3 lb	36"	Double Bit	2	9 lb
	33145	Classic Nuplaglas Bush Hook, Single Edge (BHS-32)	3 lb	36"	Single Bit	2	9 lb
	33150	Classic Nuplaglas Ditch Bank Blade (DBB-16)	3 lb	40"	Double Bit	2	10 lb

Ergo-Power handle that combines a solid fiberglass core handle with an injected molded polypropylene outside to protect handles from overstrike. Ribbed grips provide secure gripping with gloved hands.



EXTREME POWER SLEDGE® - "EPS"

- Indestructible sledge hammer manufactured in the USA
- Solid core Nuplaglas handle with injected molded polypropylene outer cover to prevent breakage due to over-strike
- Chemically AND Mechanically bound head takes over 10,000 lbs. to dislodge
- Ergo Super-Grip is ribbed for secure grip with gloved hand including a lanyard hole for attaching



PART NO.	DESCRIPTION	NOMINAL WEIGHT	WORMAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
32012	Extreme Power Sledge Hammer (BDS-12-32-ESG)	12 lb	13.25 lb	32"	Ergo SG	1	13.65 lb



AVAILABLE THROUGH

GRAINGER®
FOR THE ONES WHO GET IT DONE

Widest selection of Head Weight to Handle Length Combinations of any Tool Manufacturer

ERGO-POWER® HANDLES

- Protective covering injection molded over a Classic Nuplaglas handle
- Protects fiberglass from overstrikes and extends the life of the handle
- Industrial grade heads

CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- All Classic Nuplaglas Handled tools carry a Nupla Lifetime Warranty
- Industrial grade heads



PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
27082	Classic Nuplaglas Sledge Hammer (BD-8-14)	8 lb	14"	CS	2	17.15 lb
27087	Classic Nuplaglas Sledge Hammer (BD-8-16SG)	8 lb	16"	SG	2	17.15 lb
27104	Classic Nuplaglas Sledge Hammer (BD-10-24)	10 lb	24"	CS	2	21.35 lb
27121	Classic Nuplaglas Sledge Hammer (BD-12-32SG)	12 lb	32"	SG	2	25.4 lb



AVAILABLE THROUGH

GRAINGER®
 FOR THE ONES WHO GET IT DONE

Non-Sparking, Aluminum & General Blades

CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

Ergo-Power Handle features an injected molded polypropylene outside cover for additional strength.

Solid core fiberglass section where handle and blade connect adding strength to shovel where it counts.



PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72154	Ergo-Power #10 Aluminum Scoop (AGS10L-E)	-	14.5" x 17.75"	#10 Aluminum	48"	Ergo	6	25 lb
72155	Ergo-Power #10 Aluminum Scoop (AGS10D-E)	-	14.5" x 17.75"	#10 Aluminum	27"	D	3	9.5 lb



**WHEN FAILURE
IS NOT AN
OPTION!**

— GET THE STRIPE —



Please contact your local Grainger Sales Representative
for further information.

www.Grainger.com



AVAILABLE THROUGH

GRAINGER®

||||| FOR THE ONES WHO GET IT DONE